1 5PC4-29CROC
2 5PC4-29CROCG
3 5PC4-29RH
4 5PC4-29BSB

2 7/8" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
BONE/HORN/COMPOSITE/CELLULOID/PEARL HANDLE

9 5PC4-29S
10 5PC4-29G

2 7/8" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
BONE/HORN/COMPOSITE/CELLULOID/PEARL HANDLE

5 5PC4-29PSB_SR
6 5PC4-29CRSBSR
7 5PC4-29OSB_SR
8 5PC4-29BNSBSR

2 7/8" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
MOTHER OF PEARL/PEANUT/BONE/HOM/STAG/ HANDLE

11 5PC4-29CI
12 5PC4-29FM
13 5PC4-29GA
14 5PC4-29CC
15 5PC4-29ITS

2 7/8" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
BONE/HORN/COMPOSITE/CELLULOID/PEARL HANDLE

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 5PC4-29PIC
2 5PC4-29LL
3 5PC4-29CT
4 5PC4-29AB
5 5PC4-29BLP

2 7/8" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
BONE/HORN/COMPOSITE/CELLULOID/PEARL HANDLE





6 5PC4-29RBL
7 5PC4-29WRJ
8 5PC4-29ASB
9 5PC4-29CBH
10 5PC4-29DGB

11 5PC4-29RH_SR
12 5PC4-29DH_SR
13 5PC4-29DS_SR
14 5PC4-29BSB_SR
15 5PC4-29SP_SR

2 7/8" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
MOTHER OF PEARL/PEANUT/BONE/HOM/STAG/ HANDLE

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5PC4-29MPAB
2 5PC4-29MOP

2 7/8" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
MOTHER OF PEARL/PEANUT/BONE/HOM/STAG/ HANDLE

3 5PC5-25S
4 5PC5-25G
5 5PC5-25RWJ
6 5PC5-25JGJ
7 5PC5-25CBJ

4 1/4" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
BONE/CELLULOID HANDLE

8 5PC4-29WRH
9 5PC4-29PJB
10 5PC4-29CROC
11 5PC-29BLPB
12 5PC4-29IS

2 7/8" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
HORN/BONE/COMPOSITE HANDLE

13 5PC5-25WSB
14 5PC5-25IQ
15 5PC5-25ITS
16 5PC5-25PSB

4 1/4" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
BONE/CELLULOID HANDLE

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5PC6-30ASC
2 5PC6-30BPS
3 5PC6-30KLJ
4 5PC6-30JGJ
5 5PC6-30CBJ

3" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
BONE/HORN/COMPOSITE/CELLULOID HANDLE





6 5PC6-30PIC
7 5PC6-30BM
8 5PC6-30GW
9 5PC6-30CT
10 5PC6-30FM

3" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
BONE/HORN/COMPOSITE/CELLULOID HANDLE

11 5PC6-30BR
12 5PC6-30WABS
13 5PC6-30RH
14 5PC6-30DS
15 5PC6-30OSB

3" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
BONE/HORN/COMPOSITE/CELLULOID HANDLE





16 5PC6-30CA
17 5PC6-30ITS
18 5PC6-30IAB
19 5PC6-30S
20 5PC6-30BLSB

3" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
BONE/HORN/COMPOSITE/CELLULOID HANDLE

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5PC4-29OXH
2 5PC4-29RH
3 5PC4-29BH

2 7/8" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
HORN/BONE/COMPOSITE HANDLE





14 5PC5-25WGSBSP
15 5PC5-25WGSB
16 5PC5-25GWSB

4 1/4" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
BONE/RAMS HORN HANDLE

4 5PC5-25L_WRH
5 5PC5-25TGB
6 5PC5-25WRH
7 5PC5-25GBMP

4 1/4" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
BONE/RAMS HORN HANDLE



9 5PC4-29WGSB
10 5PC4-29GWSB
11 5PC4-29GBMP
12 5PC4-29FM
13 5PC4-29GA

2 7/8" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
HORN/BONE/COMPOSITE HANDLE



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5PC11-35WRH
3.5" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
RAMS HORN HANDLE



2 5PC9-35WRH
3.25" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
RAMS HORN HANDLE





3 5PC20-40GBMP
4" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
BONE HANDLE

4 5PC8-35WRH
5 5PC8-35GBMP
3 3/8" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
RAMS HORN/BONE HANDLE



6 5PC4-29RH
7 5PC4-29OXH
8 5PC4-29BH
2 7/8" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
COMPOSITE/HORN/BONE HANDLE



9 5PC6-30GBMP
10 5PC6-30WGSB
11 5PC6-30GWSB
12 5PC6-30WRH
3" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
BONE/HORN HANDLE





13 5PC4-29FM
14 5PC4-29GA
15 5PC4-29PJB
16 5PC4-29RPB
17 5PC4-29BLPB
18 5PC4-29IS
2 7/8" CLOSED POCKET KNIFE
HIGH QUALITY STAINLESS STEEL BLADES
NICKEL SILVER BOLSTERS BRASS LINERS
COMPOSITE/HORN/BONE HANDLE



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 PC21-35APM(Appaloosa Molassas)
2 PC21-35ZW(Zebra Wood)
3.5"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Composite/wood handle.





3 5PC22-40APM(Appaloosa Molasses)
4 5PC22-40ZW(Zebra Wood)
3.875"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Composite/wood handle.

7 5PC23-45APM(Appaloosa Molasses)
4.625"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Composite/wood handle.
8 5PC23-35ZW(Zebra Wood)
3.5"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Composite/wood handle.



5 5PC24-40APM(Appaloosa Molassas)
6 5PC24-40ZW(Zebra Wood)
4"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Composite/wood handle.



15 5PC25-38APM(Appaloosa Molasses)
16 5PC25-38ZW(Zebra Wood)
3.75"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Composite/wood handle.



17 5PC26-38APM(Appaloosa Molasses)
18 5PC26-38ZW(Zebra Wood)
3.875"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Composite/wood handle.





9 5PC27-40Cl(Cracked Ice)
10 5PC27-40(Yellow)
11 5PC27-40(Grape Ape)
4"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Celluloid/composite/wood handle.
12 5PC27-40(Leaping Lizard)
13 5PC27-40(Imitaion Abalone)
14 5PC27-40(Appaloosa Molasses)
4"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Celluloid/composite/wood handle.

19 5PC25-35APM(Appaloosa Molasses)
20 5PC25-35ZW(Zebra Wood)
3.5"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Composite/wood handle.

007
HTTP:WWW.DAVGEAR.COM
Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5PC28-30BNJ(Banana Jigged)
2 5PC28-30BPS(Burnt Peachseed)
3 5PC28-30BTR(Butter Rum)
4 5PC28-30WABS(Winter Aged)
5 5PC28-30S(Silver)
6 5PC28-30G(Gold)

3"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Bone/composite handle.



7 5PC27-40IS(Imitation Stag)
8 5PC27-40ZW(Zebra Wood)

4"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Celluloid/composite/wood handle.



3"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Bone/composite handle.

9 5PC28-30ASC(Autumn Secondcutv)
10 5PC28-30RWJ(Red Walnut Jigged)
11 5PC28-30JGJ(Jade Green Bone)
12 5PC28-30CBJ(Cancun Blue Jigged)
13 5PC28-30KLJ(Moss Green Bone)
14 5PC28-30DS(Deer Stag)



17 5PC29-46IAB(Imitation Abalone)

4.625"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Celluloid handle.

18 5PC21-35IAB(Imitation Abalone)

3.5"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Celluloid handle.

19 5PC6-30DS(Deer Stag)

3"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Celluloid handle.





15 5PC30-35IAB(Imitation Abalone)

3.5"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Celluloid handle.

16 5PC26-38IAB(Imitation Abalone)

3.875"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Celluloid handle.

008
HTTP:WWW.DAVGEAR.COM

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 **5PC31-35ASC**(Autumn Secondcutv)
2 **5PC31-35BPS**(Burnt Peachseed)
3 **5PC31-35WABS**(Winter Aged)
4 **5PC31-35RWJ**(Red Walnut Jigged)
5 **5PC31-35CBJ**(Cancun Blue Jigged)
6 **5PC31-35KLJ**(Moss Green Bone)
7 **5PC31-35RH**(Ram's Horn)
8 **5PC31-35DS**(Deer Stag)

3.25"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Deer stag/bone handle.



9 **5PC4-29DRWJ**(Dark Red Walnut Jig)
10 **5PC4-29RPB**(Red Pick Bone)
11 **5PC4-29ASC**(Autumn Secondcutv)

2.875"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Bone/composite handle.



12 **5PC4-29IS**(Imitation Stag)
13 **5PC4-29DS**(Deer Stag)
14 **5PC4-29BPS**(Burnt Peachseed)
15 **5PC4-29RWJ**(Red Walnut Jigged)

2.875"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Bone/composite handle.



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 **5PC4-29BR**(Butter Rum)
2 **5PC4-29BTR**(Butter Rum)
3 **5PC4-29WABS**(Winter Aged)

4 **5PC4-29BNJ**(Banana Jigged)
5 **5PC4-29KLJ**(Moss Green Bone)
6 **5PC4-29JGJ**(Jade Green Bone)
7 **5PC4-29CBJ**(Cancun Blue Jigged)
8 **5PC4-29DBLJ**(Dark Blue Jigged Bone)
9 **5PC4-29RSB**(Red Jigged Bone)
10 **5PC4-29GSB**(Green Smoothbone)
11 **5PC4-29BLSB**(Blue Smoothbone)

2.875"closed pocket knife
Blade:High quality stainless steel blades.
Handle:Nickel silver bolsters brass liners
Bone/composite handle.





Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 4PA1-37BK
2 4PA1-37BL
3 4PA1-37WH
4 4PA1-37GR
5 4PA1-37GY
6 4PA1-37PK
7 4PA1-37RD
8 4PA1-37CA
3.5" automatic knife
Blade:3Cr13 S.Steel 2mm thickness.
Handle:alum handle.
Without clip.

9 4PC42-45GYG
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade.
Handle:G10 handle.
With clip.

10 4PC43-45DT
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade.
Handle:G10 handle.
With clip.

11 4PC44-45ST
12 4PC45-45BK
13 4PC45-45BKG
14 4PC46-45ST
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade.
Handle:S.Steel/G10 handle.
With clip.

15 4PC62-50RB
5" liner lock knife
Blade:8Cr13 S.Steel titanium coated blade
3.5mm thickness.
Handle:titanium alloy handle titanium coated
3mm thickness one side.
with clip.

HTTP:WWW.DAVGEAR.COM
Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Email: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Email: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Email: cs3@davgear.com



1 4PN84-45BG
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
4mm thickness one side.
With clip.

2 4PN84-45SW

3 4PN85-45SW

4 4PN86-45SW

5 4PN87-45SW

6 4PN88-45SW

7 4PN89-45SW

8 4PN90-45SW
4.5" spring assistant knife
Blade:3Cr13 S.Steel
3mm thickness.
Handle:S.Steel handle
2.5mm thickmess one side.
With clip.

9 4PN90-45BG
4.5" spring assistant knife
Blade:3Cr13 S.Steel
3mm thickness.
Handle:G10 handle
3mm thickmess one side.
With clip.

10 4PN91-40BG
4" spring assistant knife
Blade:3Cr13 S.Steel
3mm thickness.
Handle:G10 handle
3mm thickmess one side.
With clip.

11 4PN96-45SW
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel handle
2.5mm thickness one side.
With clip.

12 4PN167-45G

13 4PN168-45BK
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel handle
4mm thickness one side.
With clip.

14 4PT13-50
5"spring assistant knife
Blade:3Cr13 S.Steel blade
3.5mm thickness.
Handle:G10 handle
4mm thickness one side.
With clip.



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 **4PN92-45DG**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle.
3.5mm thickness one side.
With clip.

2 **4PN93-45DG**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle.
3mm thickness one side.
With clip.

3 **4PN94-45BG**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle.
3.5mm thickness one side.
With clip.

4 **4PN95-45BG**
5 **4PN96-45DG**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle.
4mm thickness one side.
With clip.

6 **4PN97-45DG**
7 **4PN98-45DG**
8 **4PN99-45DG**
9 **4PN99-45DG**
10 **4PN101-45DG**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle.
3mm thickness one side.
With clip.

11 **4PN102-45BG**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle.
3.5mm thickness one side.
With clip.

4 **4PN95-45BG**
5 **4PN96-45DG**
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle.
4mm thickness one side.
With clip.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 4PN103-45DCG
2 4PN104-45DCG
3 4PN105-45DCG
4 4PN106-45DCG
5 4PN107-45DCG
6 4PN108-45DCG
7 4PN108-45DG
8 5PT15-45BKG
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3.5mm thcikness one side.
With clip.

9 5PT16-50BLG
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3.5mm thcikness one side.
With clip.

10 5PT17-45GNC
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
2mm thcikness one side.
With clip.

11 5PT18-50GNG
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
2.5mm thcikness one side.
With clip.

12 5PT19-50BLG
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3mm thcikness one side.
With clip.

13 5PT55-50GY
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3.5mm thcikness one side.
With clip.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 4PT14-50BL
2 4PT14-50DGN
3 4PT14-50GN
4 4PT14-50ZG
5 4PT14-50ORBK
6 4PT14-50PK
7 4PT14-50RD
8 4PT14-50OR
4.75" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle with S.Steel.
With clip.

11 4PN166-50BK
4.75"spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle.
With clip.

12 4PT12-50
4.75"spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&alum handle.
With clip&belt cutter&glass breaker.

12 4PT15-50BL
13 4PT15-50OR
4.75" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle with S.Steel.
With clip.

14 4PT16-50RD
4.75" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&alum handle.
With clip



9 4PT10-50
4.75" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle with S.Steel .
With clip.

10 4PT11-50
4.75" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&alum handle
with medallion.
With clip

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4PT30-45DDC
2 4PT30-45LDC
4.5" liner lock knife
Blade:3Cr13 S.Steel blade
3.5mm thickness.
Handle:G10 handle
4.5mm thickness one side.
With clip.

3 4PT31-45BK
4 4PT31-45DC
4.5" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
4mm thickness one side.
With clip.

5 4PT32-55BK
6 4PT32-55GN
5.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3.5mm thickness.
Handle:G10 handle
5mm thickness one side.
With clip.

7 4PT33-50BK
8 4PT33-50DC
5.0" spring assistant knife
Blade:3Cr13 S.Steel blade
3.5mm thickness.
Handle:alum handle
4.5mm thickness one side.
With clip&glass breaker&belt cutter.

9 4PT51-45BK
10 4PT51-45ST
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10/S.Steel handle
4mm thickness one side.
With clip&glass breaker.

11 4PT52-45BK
4.5" spring assistant knife
Blade:3Cr13 S.Steel grey titanium blade
3mm thickness.
Handle:G10 handle
2.5mm thickness one side.
With clip.

12 4PT56-45DGCA
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
4mm thickness one side.
With clip.

13 4PT61-50BKM
14 4PT61-50SS
15 4PT61-50SW
5.0" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3mm thickness one side.
With clip.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Email: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Email: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Email: cs3@davgear.com



1 4PT108-50
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
4mm thickness one side.
With clip.

2 4PT88-50BK
3 4PT88-50GY
5.0" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
4mm thickness one side.
With clip&glass breaker&belt cutter.

4 4PT90-45BK
5 4PT91-45BK
4.5"closed spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel handle
5mm thickness one side.
With clip&glass breaker.

6 4PT105-50BK
5.0"closed spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:Alum handle
4mm thickness one side.
With clip&glass breaker&belt cutter.

7 4PN148-45G
8 4PN148-45TC
4.5"liner lock knife
Blade:3Cr13 S.Steel blade.
Handle:alum&fiber/G10 handle.
With clip.

9 4PN149-45LU
10 4PN149-45PN
4.5"back lock knife
Blade:3Cr13 S.Steel blade.
Handle:S.Steel&plastic handle.

11 4PZ2-45BK
12 4PZ2-45OR
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:ABS handle
3.5mm thickness one side.
With clip.

13 4PZ2-45GSC
14 4PZ2-45OSC
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:ABS handle
3.5mm thickness one side.
With clip.

15 5PC2-45
4.5" back lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&wood handle
5mm thickness one side.
With clip.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 **4PT111-45BK**
2 **4PT113-45BK**
3 **4PT114-45BK**
4.5" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3mm thickness one side.
With clip.

4 **4PT111-50SW**
5 **4PT111-50SW**
5" liner lock knife
Blade:9Cr18 S.Steel blade
4.5mm thickness.
Handle:G10 handle
4mm thickness one side.
With clip.

6 **4PT110-45BK**
4.5" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
2.5mm thickness one side.
With clip.

7 **4PT112-45BK**
4.5" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3mm thickness one side.
With clip.

8 **4PT89-45BK**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3mm thickness one side.
With clip.

9 **4PT112-45SW**
4.5" liner lock knife
Blade:3Cr13 S.Steel blade
4.5mm thickness.
Handle:G10 handle
4mm thickness one side.
With clip.

10 **4PT115-45BK**
4.5" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
2.5mm thickness one side.
With clip.

11 **4PT116-45BL**
4.5" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3mm thickness one side.
With clip.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 **5PT45-50DT**
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle with alum inlay
3.5mm thckness one side.
With clip.

2 **5PT46-50GY**
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&alum handle
4mm thckness one side.
With clip.

3 **5PT47-40BK**
4 **5PT48-40BK**
4" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
4.5mm thckness one side.
With clip.

5 **5PT49-45BK**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum&S.Steel handle
3mm thckness one side.
With clip.

6 **5PT50-45SW**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
2mm thickness.
Handle:S.Steel handle with wood inlay
3.5mm thckness one side.
With clip.

7 **5PT51-50DT**
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&G10 handle
3.5mm thckness one side.
With clip.

12 **5PT56-50GN**
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
4.5mm thckness one side.
With clip.

8 **5PT52-45SW**
9 **PT53-45SW**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel handle with wood inlay
3.5mm thckness one side.
With clip&glass breaker.

13 **5PT57-45SW**
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel handle
2.5mm thckness one side.
With clip&glass breaker&belt cutter.

10 **5PT54-45DT**
11 **5PT54-45GN**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle with S.Steel inlay
3.5mm thckness one side.
With clip.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Email: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Email: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Email: cs3@davgear.com



1 **5PT22-45DT**
4.5" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle with alum inlay
3mm thckness one side.
With clip.

3 **5PT24-45BK**
4.5" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3mm thckness one side.
With clip.

4 **5PT25-45BK**
4.5" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
4mm thckness one side.
With clip.

5 **5PT26-50DT**
6 **5PT2t-50DT**
7 **5PT31-50DT**
5.0" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3.5mm thckness one side.
With clip&glass breaker&belt cutter.

8 **5PT28-50DDT**
9 **5PT29-45DDT**
10 **5PT30-45DDT**
5.0" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3mm thckness one side.
With clip&glass breaker&belt cutter.

11 **5PT32-40ST**
4" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
2.5mm thckness one side.
With clip.

2 **5PT23-45CF**
4.5" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
3mm thckness one side.
With clip.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 **5PT2-45BK**
2 **5PT3-45BK**
3 **5PT3-45BK**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
3mm thckness one side.
With clip.

4 **5PT4-45DT**
5 **5PT4-45GN**
6 **5PT4-45GY**
7 **5PT5-45BL**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
3.5mm thckness one side.
With clip.

8 **5PT6-45GN**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
2.5mm thckness one side.
With clip.

9 **5PT7-50BK**
4.75" spring assistant knife
Blade:440C S.Steel blade
3mm thickness.
Handle:G10 handle
With clip.

10 **5PT8-45BK**
4.5" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
3mm thckness one side.
With clip.

11 **5PT9-45G**
4.5" back lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
5mm thckness one side.
With clip.

10

12 **5PT10-45CA**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel handle
2.5mm thckness one side.
With clip.

13 **5PT11-50GNG**
4.75" back lock knife
Blade:3Cr13 S.Steel blade
3mm thickness
Handle:G10 handle
5mm thckness one side.
With clip.

13 **5PT12-45GY**
4.5" back lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&G10 handle
2.5mm thckness one side.
With clip.

14 **5PT13-45DTG**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&G10 handle
2.5mm thckness one side.
With clip.

15 **5PT14-45BKBL**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3mm thckness one side.
With clip.

11 **12** **13** **14** **15** **16**

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 **5PT33-50**
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
3.5mm thckness one side.
With clip&glass breaker&belt cutter.

2 **5PT34-50BL**
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&alum handle
4mm thckness one side.
With clip&glass breaker&belt cutter.

3 **5PT35-50DT**
4 **5PT35-50GN**
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle with alum inlay
3mm thckness one side.
With clip&glass breaker&belt cutter.

5 **5PT36-45GN**
6 **5PT36-45YW**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&G10/alum handle
4mm thckness one side.
With clip&glass breaker&belt cutter.

7 **5PT37-50BK**
8 **5PT37-50GN**
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&G10 handle
3.5mm thckness one side.
With clip.

9 **5PT38-50BK**
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&G10 handle
4mm thckness one side.
With clip.

15 **5PT44-50OR**
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&alum handle
5mm thckness one side.
With clip.

10 **5PT39-45BK**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&G10 handle
3.5mm thckness one side.
With clip&glass breaker&belt cutter&bottle opener.

11 **5PT40-50BK**
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10&S.Steel handle
4mm thckness one side.
With clip&glass breaker&belt cutter.

12 **5PT41-50BK**
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&G10 handle
3.5mm thckness one side.
With clip&glass breaker&belt cutter.

13 **5PT42-50GY**
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum&S.Steel handle
3.5mm thckness one side.
With clip.

14 **5PT43-50SW**
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&wood handle
5mm thckness one side.
With clip.



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 4PT17-50GN
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum&S.Steel handle
4.5mm thickness one side.
With clip.

2 4PT18-50GL
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
4.5mm thickness one side.
With clip.

3 4PT19-50BL
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum&S.Steel handle
4.5mm thickness one side.
With clip.

4 4PT27-45BK
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel handle
2.5mm thickness one side.
With clip.

5 4PT26-45BK
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
4.5mm thickness one side.
With clip.

6 4PT28-45BK

7 4PT21-50CA
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
3.5mm thickness one side.
With clip&glass breaker.

8 4PT29-45GN
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3.5mm thickness one side.
With clip.

9 4PT65-50BK
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3.5mm thickness.
Handle:G10&S.Steel handle
3.5mm thickness one side.
With clip.

10 5PT58-50BK
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3.5mm thickness.
Handle:G10&S.Steel handle
3.5mm thickness one side.
With clip.

11 5PT59-45BK
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3.5mm thickness.
Handle:G10&S.Steel handle
3.5mm thickness one side.
With clip.

12 5PT60-45GN
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10&S.Steel handle
3.5mm thickness one side.
With clip.

13 4PN67-50BKR
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
3mm thickness one side.
With clip.

14 4PN140-50BKR
5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
3mm thickness one side.
With clip.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 4PT109-45BKM
2 4PT109-45BKP
3 4PT109-45BKS
4 4PT109-45BL
5 4PT109-45DC
6 4PT109-45GC
7 4PT109-45GCN
8 4PT109-45GN
9 4PT109-45OR
10 4PT109-45RD

4.5"closed spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:Alum handle
4mm thickness one side.
With clip&glass breaker.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 4PT60-45BK
2 4PT60-45GE
3 4PT60-45GN
4 4PT60-45GNC
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
with nylon rope
4.5mm thickness one side.
With clip&glass breaker.

5 4PT62-50GNC
4.85"closed liner knife
Blade:3Cr13 S.Steel blade
3.0mm thickness.
Handle:S.Steel handle
with paracord
3.5mm thickness one side.
With clip.

6 4PT63-50GE
4.85"closed spring assistant knife
Blade:3Cr13 S.Steel blade
3.0mm thickness.
Handle:S.Steel handle
with nylon rope
3mm thickness one side.
With clip.

7 4PT64-45BK
8 4PT64-45BL
4.75"closed spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
with nylon rope
3mm thickness one side.
Without clip.

9 4PN40-45AGN
10 4PN40-45OR
11 4PN40-45YW
12 4PN40-45BK
13 4PN40-45DT
14 4PN40-45LGN
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade,
3mm thickness.
Handle:ABS handle,
5mm thickness one side.
With clip.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 4PT66-50BKM
2 4PT66-50SW
3 4PT66-50SWA
4.85" spring assistant knife
Blade:3Cr13 S.Steel blade
3.5mm thickness.
Handle:G10/S.Steel handle
3mm thickness one side.
With clip.

4 4PT67-50BK
5 4PT67-50SW
5.25" liner lock knife
Blade:3Cr13 S.Steel blade
4.5mm thickness.
Handle:G10/S.Steel handle
4mm thickness one side.
With clip.

6 4PT110-50SW
5.5" liner lock knife
Blade:3Cr13 S.Steel blade
5mm thickness.
Handle:S.Steel handle
4mm thickness one side.
With clip.

12 4PT69-45BK
13 4PT69-45BL
14 4PT69-45DT
15 4PT69-45GN
16 4PT69-45SW
4.65" spring assistant knife
Blade:3Cr13 S.Steel blade
4mm thickness.
Handle:G10/S.Steel handle
3.2mm thickness one side.
With clip&glass breaker.

7 4PT68-40BK
8 4PT64-45BL
9 4PT64-45BK
10 4PT64-45B
11 4PT64-45BK
3.75" spring assistant knife
Blade:3Cr13 S.Steel blade
4mm thickness.
Handle:G10/S.Steel handle
3.2mm thickness one side.
Without clip.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 4PT70-50BL
2 4PT70-50BN
3 4PT70-50GE
4 4PT70-50GNA
5 4PT70-50SW
4.75" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10/S.Steel handle
3.2mm thickness one side.
With clip.

6 4PT72-45BKWH
7 4PT72-45DTGN
8 4PT72-45GNA
9 4PT72-45GNB
10 4PT72-45SW
4.65" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10/S.Steel handle
4mm thickness one side.
With clip.

11 4PT70-50DTA
12 4PT70-45DTB
13 4PT70-45DTC
14 4PT70-45DTGN
15 4PT70-45GNB
4.75" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 front side
S.Steel back side
3.2mm thickness one side.
With clip.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4PT57-45BK
2 4PT57-45DT
4.5" liner knife
Blade:3Cr13 S.Steel matte blade
3mm thickness.
Handle:G10 handle
3.5mm thickness one side.
With clip.

3 4PT58-45BK
4.5" liner knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
2.5mm thickness one side.
With clip.

4 4PT59-45BK
4.5" liner knife
Blade:3Cr13 S.Steel blade
3.0mm thickness.
Handle:G10 handle
3.5mm thickness one side.
With clip.

5 4PT71-50BL
6 4PT71-50BN
7 4PT71-50GE
8 4PT71-50GNA
9 4PT71-50SW
4.75" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10/S.Steel handle
3mm thickness one side.
With clip.

10 4PT71-50BKWH
11 4PT71-50DTGN
12 4PT71-50GNA
13 4PT71-50GNB
14 4PT71-50SW
4.75" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 front side
S.Steel back side
3mm thickness one side.
With clip.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 **4PT100-45BK**
2 **4PT100-45DT**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3mm thickness one side.
With clip.

3 **4PT101-45BK**
4 **4PT101-45DT**
5 **4PT101-45GE**
6 **4PT101-45DY**
4.3"closed spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3.5mm thickness one side.
With clip.

7 **4PT103-45BK**
8 **4PT103-45DT**
9 **4PT103-45GE**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3mm thickness one side.
With clip.

10 **4PT104-40BNA**
11 **4PT104-40BNB**
12 **4PT104-40GE**
4.0" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3mm thickness one side.
With clip.

13 **4PT73-45DT**
14 **4PT73-45GN**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:G10 handle
3.5mm thickness one side.
With clip&glass breaker.

15 **4PT73-45SW**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel handle
2.5mm thickness one side.
With clip&glass breaker.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Email: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Email: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Email: cs3@davgear.com

1 LX22160-40BL
2 LX22160-40BWGR
3 LX22160-40R
4 LX22160-40RBW
5 LX22160-40RWH
4" back lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:nail groove handle
2.5mm thickness one side.
Without clip.

7 LX22161-30XBH
3" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:OX bone&OX horn handle
5mm thickness one side.
Without clip.

9 LX22162-35XBH
3.5" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:OX bone&OX horn handle
5mm thickness one side.
Without clip.

10 LX22163-35EBY
3.5" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:red sandal wood&green sandal wood handle
5mm thickness one side.
Without clip.

11 LX22164-40EBY
4" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:red sandal wood&green sandal wood handle
5mm thickness one side.
Without clip.

12 LX22165-40WW
4" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:snakeskin wood&anole wood handle
5mm thickness one side.
Without clip.

13 LX22166-40SEBY
4" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel&green sandal wood handle
5mm thickness one side.
Without clip.

14 LX22167-45BW
4.5" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:ebony handle
5mm thickness one side.
Without clip.

6 LX22161-30WW
3" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:snakeskin wood&anole wood handle
5mm thickness one side.
Without clip.

8 LX22162-35WW
3.5" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:anole wood&red sandal wood handle
5mm thickness one side.
Without clip.



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 **4PN64-45PK**
2 **4PN64-45WH**
3 **4PN40-45WD**
4.5"spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel with resin/wood inlay.
With clip&breaker.

4 **4PN59-50YW**
5"spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel corrosion handle.
With clip&breaker.

5 **4PN66-50YE**
5"spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel handle with resin inlay.
With clip&breaker.

6 **4PN66-60PK**
6" spring assistant knife
Blade:3Cr13 S.Steel blade,
3mm thickness.
Handle:S.Steel handle with resin inlay.
With clip&breaker.

7 **4PN66-70BL**
7" spring assistant knife
Blade:3Cr13 S.Steel corrosion blade,
3mm thickness.
Handle:S.Steel handle with resin inlay.
With clip&breaker.

8 **4PN93-45RTC**
9 **4PN99-45RTC**
10 **4PN102-45RTC**
11 **4PN105-45RTC**
12 **4PN108-45RTC**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel handle.
2.5mm thickness one side.
With clip.

13 **4PN74-40GTC**
14 **4PN74-40MBTC**
15 **4PN74-40MGTC**
16 **4PN74-40MMTC**
17 **4PN74-40MRTC**
4"spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel handle.
3mm thickness one side.
With clip.

HTTP:WWW.DAVGEAR.COM
Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5PF3-45BL
2 5PF3-45GE
3 5PF3-45GN
4 5PF3-45PL
5 5PF3-45RD
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
3.5mm thickness one side.
With clip.

6 5PN17-45BTC
7 5PN17-45GRTC
8 5PN17-45GTC
9 5PN17-45MF
10 5PN17-45MTC
11 5PN17-45RTC
12 5PN17-45SW
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3.5mm thickness.
Handle:S.Steel handle with resin inlay
2.5mm thickness one side.
With clip.

13 5PN16-40BK
14 5PN16-40PE
15 5PN16-40PK
4" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
3.5mm thickness one side.
With clip.

HTTP:WWW.DAVGEAR.COM
Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 **4PC59-40WD**
4" liner lock knife
Blade:3Cr13 S.Steel satin blade
3mm thickness.
Handle:wood handle
4mm thickness one side.
With clip.

2 **4PN7-45GEC**
3 **4PN7-45GLCA**
4 **4PN7-45GYCA**
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade.
Handle:alum handle.
With clip.

5 **4PN4-50GNCA**
6 **4PN4-50DTCA**
4.75" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle.
With clip.

7 **4PN59-50YW**
8 **4PN60-50BL**
5" spring assistant knife
Blade:3Cr13 S.Steel blade.
Handle:alum&plastic handle.
With clip.

8 **4PN152-45BK**
9 **4PN152-45DN**
4.5" liner lock knife
Blade:3Cr13 S.Steel blade.
Handle:G10 handle.
With clip.

11 **4PN8-50GECA**
12 **4PN8-50GLCA**
13 **4PN8-50GNCA**
14 **4PN8-50GRSC**
5"spring assistant knife
Blade:3Cr13 S.Steel black blade.
3mm thickness.
Handle:camo coated alum handle.
3.5mm thickness one side.
With clip.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4PF5-45BL
2 4PF5-45PK
4.5"spring assistant knife
Blade:3Cr13 S.Steel black coated blade,3mm thickness.
Handle:blue/pink anodized alum handle.
With clip.





3 4PF7-50PL **6** 4PF7-50RD
4 4PF7-50BL **7** 4PF7-50GNW
5 4PF7-50GN **8** 4PF7-50RDW
5"spring assistant knife
Blade:3Cr13 S.Steel black electroplated blade,
3mm thickness.
Handle:anodized alum hadnle,
3.5mm thickness one side.
With clip.



9 4PN73-50BLB
10 4PN73-50RDB
11 4PN73-50GRB
5"spring assistant knife
Blade:3Cr13 S.Steel black blade,
3mm thickness.
Handle:twice anodized alum handle.
With clip.

12 4PN73-50BLB
13 4PN73-50RDB
14 4PN73-50GRB
15 4PN73-50GRB
5"spring assistant knife
Blade:3Cr13 S.Steel titanium coated blade,
3mm thickness.
Handle:S.Steel titanium coated handle.
With clip.

16 4PN73-50SF
5"spring assistant knife
Blade:3Cr13 S.Steel stone washed blade,
3mm thickness.
Handle:stainless steel stone washed handle.
With clip.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4PT24-45BK
2 4PT25-45BL
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
4.5mm thickness one side.
With clip.

3 4PT21-45GNSW
4 4PT21-45GSW
5 4PT21-50CA
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
4.5mm thickness one side.
With clip&glass breaker&belt cutter.

6 4PT21-45BKSW
7 4PT21-45GNB
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
4.5mm thickness one side.
With clip.

8 4PT20-50GR
5.0" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
4.5mm thickness one side.
With clip.

9 5PZ1-40RD
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
3.5mm thickness one side.
With clip.

10 4PT23-45BK
11 4PT23-45WHB
4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle
3.5mm thickness one side.
With clip.

12 4PN141-45GN
13 4PN141-45RD
14 4PN141-45X
4.5" liner lock knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle with resin inlay.
With clip.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 5PT14-45GD
2 5PT14-45GTC
3 5PT14-45MF
4 5PT14-45MGD
5 5PT14-45RTC
6 5PT14-45BTC
7 5PT14-45WHB
8 5PT14-45ORB
9 5PT14-45BLB
10 5PT14-45RDB
11 5PT14-45GNB

4.5" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:S.Steel/alum handle
With clip.



12 4PT14-50BL
13 4PT14-50DGN
14 4PT14-50GN
15 4PT14-50ZG
16 4PT14-50ORBK

4.75" spring assistant knife
Blade:3Cr13 S.Steel blade
3mm thickness.
Handle:alum handle with S.Steel.
With clip.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4BC1-35BK
2 4BC1-35BL
3 4BC1-35RW
4 4BC2-35RW

3.5"butterfly knife
Blade:3Cr13 S.Steel blade,2.5mm thickness.
Handle:S.Steel handle,2.5mm thickness one side.
With clip.



9 5BC2-50BKGN
10 5BC2-50BKGY
11 5BC2-50BKRD
12 5BC2-50SLGY

5"butterfly training tools
Blade:3Cr13 S.Steel blade,2.5mm thickness.
Handle:S.Steel&alum handle.



5 5BC1-50BKGY
6 5BC1-50BKRD
7 5BC1-50SLBL
8 5BC1-50SLGY

5"butterfly training tools
Blade:3Cr13 S.Steel blade,2.5mm thickness.
Handle:S.Steel handle.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 5BC3-50BK
2 5BC4-50
3 5BC5-50
5"butterfly knife
Blade:3Cr13 S.Steel blade.
Handle:alum handle.

4 5BC6-50
5"butterfly knife
Blade:3Cr13 S.Steel matte blade.
Handle:S.Steel handle.

5 LC101-50BK
5"butterfly knife
Blade:3Cr13 S.Steel black blade.
Handle:S.Steel bolster plastic handle.



6 LC102-50
5"butterfly knife
Blade:3Cr13 S.Steel matte blade.
Handle:S.Steel handle.

7 LC102-50B
5"butterfly knife
Blade:3Cr13 S.Steel matte blade.
Handle:zinc aluminum handle.

8 LC103-50B
9 LC103-50B
5"butterfly knife
Blade:3Cr13 S.Steel blade.
Handle:aluminum handle.

10 LC112-45
4.5"butterfly knife
Blade:3Cr13 S.Steel matte blade.
Handle:zinc aluminum handle.

11 LC112-45BK
4.5"butterfly knife
Blade:3Cr13 S.Steel black blade.
Handle:aluminum handle.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 LC115-50
2 LC115-50
5"butterfly knife
Blade:3Cr13 S.Steel satin blade.
Handle:S.Steel handle ABS inlay.

3 LC115-50AFM
4 LC115-50AFM
5 LC115-50FM
6 LC115-50FM
5"butterfly knife
Blade:3Cr13 S.Steel satin blade.
Handle:S.Steel handle imitation mother of pearl inlay.

7 LC115-50MKB
5"butterfly knife
Blade:3Cr13 S.Steel matte blade.
Handle:S.Steel bolster micarta handle.

8 LC115-50PK
5"butterfly knife
Blade:3Cr13 S.Steel satin blade.
Handle:S.Steel bolster pakkawood handle.

9 LC118-50
5"butterfly knife
Blade:3Cr13 S.Steel satin blade.
Handle:aluminum handle.

10 LC118-50BK
11 LC118-50BL
5"butterfly knife
Blade:3Cr13 S.Steel matte blade.
Handle:aluminum handle.

12 LC118-50RB
5"butterfly knife
Blade:3Cr13 S.Steel rainbow titanium blade.
Handle:S.Steel rainbow titanium handle.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 LC121-50
5"butterfly knife
Blade:3Cr13 S.Steel satin blade.
Handle:S.Steel handle.

2 LC123-50
5"butterfly knife
Blade:3Cr13 S.Steel
matte blade.
Handle:aluminum handle.



3 LC126-50BK
4 LC126-50BWCA
5"butterfly knife
Blade:3Cr13 S.Steel blade.
Handle:S.Steel handle.

5 LC128-50BWCA
5"butterfly knife
Blade:3Cr13 S.Steel
camo coated blade.
Handle:S.Steel
camo coated handle.





6 LC132-50
5"butterfly knife
Blade:3Cr13 S.Steel satin blade.
Handle:aluminum handle.

7 LC134-50BN
8 LC134-50PK
5"butterfly knife
Blade:3Cr13 S.Steel matte blade.
Handle:matte S.Steel bolster
bone/pakkawood handle.





9 LC136-50CA
10 LC136-50M
11 LC136-50T
5"butterfly knife
Blade:3Cr13 S.Steel camo/matte/rainbow titanium blade.
Handle:S.Steel camo/matte/rainbow titanium handle.



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 LC137-50GD
2 LC137-50SL

5"butterfly knife
Blade:3Cr13 S.Steel matte blade.
Handle:nickelplate/chromeplate handle.



3 LC138-50BK
4 LC138-50M

5"butterfly knife
Blade:3Cr13 S.Steel black/matte blade.
Handle:black/matte handle.



5 LC141-50
6 LC141-50
7 LC141-50
8 LC141-50

5"butterfly knife
Blade:3Cr13 S.Steel matte blade.
Handle:aluminum handle.

9 LC190-50B

5"butterfly knife
Blade:3Cr13 S.Steel black blade.
Handle:S.Steel handle.





10 LC191-40B
11 LC191-40B

4"butterfly knife
Blade:3Cr13 S.Steel satin blade.
Handle:aluminum handle.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 LC192-50SL
5.25"butterfly knife
Blade:S.Steel mirror finished blade.
Handle:zinc aluminum handle.

2 LC262-50
5"butterfly knife
Blade:3Cr13 S.Steel matte blade.
Handle:S.Steel matte handle.

3 LC262-50BK
5"butterfly knife
Blade:3Cr13 S.Steel black blade.
Handle:S.Steel black handle.

4 LC262-50MBK
5"butterfly knife
Blade:3Cr13 S.Steel matte blade.
Handle:S.Steel black handle.

5 LC272-50BK
5"butterfly knife
Blade:3Cr13 S.Steel black and brushed blade,
3mm thickness.
Handle:black aluminum handle.

6 LC273-50BK
5"butterfly knife
Blade:S.Steel black blade.
Handle:black aluminum handle.

7 LC273-50GBK
5"butterfly knife
Blade:S.Steel black blade.
Handle:black aluminum handle with G10 inaly.

8 LC273-50MBK
5"butterfly knife
Blade:3Cr13 S.Steel black blade,3mm thickness.
Handle:black aluminum handle.

9 LC014-50GN
10 LC013-50GN
5"butterfly training tools
Blade:3Cr13 S.Steel black blade,
2.7mm thickness.
Handle:aluminum handle
with green+red painting.
With ABS pouch.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1



2

1 4TO2-90BLB
2 4TO2-90PK
3 4TO3-90BPO

9"overall throwing knives set
Blade:3Cr13 S.Steel blade,
3mm thickness.
Handle:cord wrapped handle.
With nylon sheath.

3





4

4 4TO5-90GNB
5 4TO5-90RDB

9"overall throwing knives set
Blade:3Cr13 S.Steel blade,
3mm thickness.
Handle:cord wrapped handle.
With nylon sheath.



6



5

6 4TZ1-60GN

6"overall throwing knives set
Blade:3Cr13 S.Steel green paint blade,
2.5mm thickness.
Handle:3Cr13 S.Steel green paint blade,
2.5mm thickness.
With nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 5TF8-40BK

4" throwing stars 3pcs one set
Diameter:4"
Blade:3Cr13 S.Steel black blade,
2.5mm thickness.
With nylon sheath.









6 5TF13-40RD

4" throwing stars 4pcs one set
Diameter:4"
Blade:3Cr13 S.Steel black blade,
3mm thickness.
With nylon sheath.



2 5TF9-40RD
3 5TF10-40RD
4 5TF11-40RD
5 5TF12-40RD

4" throwing stars 3pcs one set
Diameter:4"
Blade:3Cr13 S.Steel black blade,
3mm thickness.
With nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5TF14-90
Size:9"X5.5"
3PCS one set
Blade:3Cr13 S.Steel black blade,
3mm thickness.
With nylon sheath.



2 5TF18-80
3 5TF19-80
8"overall throwing knives
3PCS one set
Blade:3Cr13 S.Steel black blade,
3mm thickness.
With nylon sheath.



5 5TF25-65GN
6.5"overall throwing knives
3PCS one set
Blade:3Cr13 S.Steel black+satin blade,
2.5mm thickness.
Handle:wrapped with nylon rope.
With nylon sheath.





6 5TZ2-80SL
8"overall throwing knives
3PCS one set
Blade:3Cr13 S.Steel black+
satin blade,3mm thickness.
With nylon sheath.



4 5TF22-95STB
9.5"overall throwing knives
3PCS one set
Blade:3Cr13 S.Steel stone washed,
4mm thickness.
With nylon sheath.



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5TZ1-70BK
2 5TZ1-70GE
3 5TZ1-70GN

7"overall throwing knives
3PCS one set
Blade:3Cr13 S.Steel blade,
3mm thickness.
Handle:cord wrapped.
With nylon sheath.









4 UL9058-65BK

6.5"overall throwing knives
12PCS one set
Blade:3Cr13 S.Steel black blade,
2.5mm thickness.
Handle:wrapped with nylon rope.
With nylon sheath.



5 UL9099-55BR-12P
6 UL9099-55RG-12P
7 UL9100-55BG-12P
8 UL9100-55BRG-12P

5.5"overall throwing knives
12PCS one set
Blade:3Cr13 S.Steel black blade,
2.5mm thickness.
Handle:wrapped with nylon rope.
With nylon sheath.







Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5TF15-85BK
2 5TF15-85SL

8.5"overall throwing knives
3PCS one set
Blade:3Cr13 S.Steel blade,
3mm thickness.
With nylon sheath.



3 5TF17-60BK

6"overall throwing knives
3PCS one set
Blade:3Cr13 S.Steel black blade,
3mm thickness.
Handle:cord wrapped handle.
With nylon sheath.

4 5TF16-120BK

12"overall throwing knives
3PCS one set
Blade:3Cr13 S.Steel black blade,
5mm thickness.
Handle:cord wrapped handle.
With nylon sheath.



5 5TF21-95BK

9.5"overall throwing knives
3PCS one set
Blade:3Cr13 S.Steel black blade,
3mm thickness.
Handle:cord wrapped handle.
With nylon sheath.



6 5TF23-85DT
7 5TF24-80ST

8.75"/8"overall throwing knives
3PCS one set
Blade:3Cr13 S.Steel stone washed,
4mm/3mm thickness.
With nylon sheath.



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 **UL062-5**
Size:2 1/8"X3.25"
5PCS one set
Material:S.Steel,3mm thickness.
With nylon sheath.





2 **UL105-60BK-3**
6"overall throwing knives
3PCS one set
Material:S.Steel.
With nylon sheath.

6 **UL193-3PC**
7 **UL194-3PC**
6.25"/6 3/8"overall throwing knives
3PCS one set
Forging blade and handle.
Blade thickness:5mm/4.2mm.



3



4



5



6



7



3 **UL106-4BKA**
4 **UL106-4BKB**
5 **UL106-4BKC**
2.5"throwing stars
Diameter:2.5"
4PCS one set
Material:S.Steel.
With nylon sheath.



8 **UL230-4PCB**
4"throwing stars
4PCS one set
Diameter:4"
Material:S.Steel.
With nylon sheath.





8



9 **UL9055-30-4P**
3" throwing stars
4PCS one set
Diameter:3"
Material:S.Steel.
With nylon sheath.



9

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 UL9006-60BK-3
2 UL9006-60RD-3
3 UL9006-60S-3
6"overall throwing knives
3PCS one set
Material:S.Steel.
With nylon sheath.















4 UL9060-65BK-3PC
5 UL9060-65S-3PC
6.5"overall throwing knives
3PCS one set
Blade:3Cr13 S.Steel,
3mm thickness.
Handle:wrapped with rope.
With nylon sheath.



6 UL9063-65BK-3PCS
7 UL9063-65S-3PCS
8 UL9064-65BK-3PCS
9 UL9064-65S-3PCS
6.5"overall throwing knives
3PCS one set
Blade:3Cr13 S.Steel,
3mm thickness.
With nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 UL9066-65BK-3PCS
2 UL9066-65S-3PCS

6.5"overall throwing knives
3PCS one set
Material:3Cr13 S.Steel,
3mm thickness.
With nylon sheath.



1



2

3 UL9067-65BK-3PCS
4 UL9067-65RB-3PCS
5 UL9067-65S-3PCS

6.5"overall throwing knives
3PCS one set
Blade:3Cr13 S.Steel,
3mm thickness.
Handle:cord wrapped.
With nylon sheath.



3



4



5



6

6 UL9073-65BK-3PCS
7 UL9073-65RB-3PCS
8 UL9073-65S-3PCS

6.5"overall throwing knives
3PCS one set
Blade:3Cr13 S.Steel,
3mm thickness.
With nylon sheath.



7



8

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 4NT1-55SW
2 4NT2-55SW

5.5"overall neck knife
Blade&Handle:3Cr13 S.Steel stone washed,3mm thickness.
With kydex sheath.

3 4NT3-50SW
4 4NT4-50SW

5"overall neck knife
Blade&Handle:3Cr13 S.Steel stone washed,3mm thickness.
With kydex sheath.

5 4NT5-45SW
6 4NT6-45SW

4.5"overall neck knife
Blade&Handle:3Cr13 S.Steel stone washed,3mm thickness.
With kydex sheath.

7 4NT7-40SW

4"overall neck knife
Blade&Handle:3Cr13 S.Steel stone washed,3mm thickness.
With kydex sheath.

8 4NT8-50DTG

4.7"overall neck knife
Blade:3Cr13 S.Steel stone washed, 3mm thickness.
Hadnle:desert G10 handle.
With kydex sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4NT9-50GNG
2 4NT9-50ORG

5"overall neck knife
Blade:3Cr13 S.Steel stone washed,
3mm thickness.
Handle:green/orange G10 handle.
With kydex sheath.



3 4NT10-35BG
4 4NT11-35BG
5 4NT13-35BG

3.5"overall neck knife
Blade:3Cr13 S.Steel black coated,
3.5mm thickness.
Handle:black G10 handle.
With nylon fiber sheath.
With chain.



6 4NT12-50BG

5"overall neck knife
Blade&Handle:3Cr13 S.Steel black coated,
4mm thickness.
With nylon fiber sheath.
With chain.

7 5NT1-50GBL
8 5NT2-50GBL

5"overall neck knife
Blade:3Cr13 S.Steel stone washed,
3mm thickness.
Handle:blue G10 handle.
With kydex sheath.



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 **5NT3-45BL**
2 **5NT4-50GN**
5"overall neck knife
Blade:3Cr13 S.Steel stone washed,3mm thickness.
Handle:blue/green G10 handle.
With kydex sheath.
With chain.

3 **4NT14-60ADR**
6"overall neck knife
Blade:3Cr13 S.Steel black+red electroplateding,3mm thickness.
Handle:desert ABS rubberized handle.
With ABS sheath.
With chain.





4 **4NT14-60AGB**
5 **4NT14-60AGN**
6"overall neck knife
Blade:3Cr13 S.Steel black/green painted,3mm thickness.
Handle:green ABS rubberized handle.
With ABS sheath.
With chain.









6 **4NT14-60BAG**
7 **4NT14-60BGB**
8 **4NT14-60BGN**
6"overall neck knife
Blade:3Cr13 S.Steel black/green painted,3mm thickness.
Handle:army green/green ABS rubberized handle.
With ABS sheath.
With chain.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 4NT14-60DGN
2 4NT14-60FGN
3 4NT14-60CGN
4 4NT14-60EGN
6"overall neck knife
Blade:3Cr13 S.Steel green painted, 3mm thickness.
Handle:green ABS rubberized handle.
With green ABS sheath.
With chain.

7 4NT14-60EBG
6"overall neck knife
Blade:3Cr13 S.Steel black+gold electroplating, 3mm thickness.
Handle:black ABS rubberized handle.
With black ABS sheath.
With chain.

5 4NT14-60CAB
6 4NT14-60DAG
6"overall neck knife
Blade:3Cr13 S.Steel black+blue/green painted, 3mm thickness.
Handle:army green ABS rubberized handle.
With army green ABS sheath.
With chain.

8 4NT14-60FDG
6"overall neck knife
Blade:3Cr13 S.Steel black+green electroplating,3mm thickness.
Handle:desert ABS rubberized.
With desert ABS sheath.
With chain.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4DF3-90GE
2 4DF3-90GN

9"overall dagger
Blade:3Cr13 S.Steel black blade,
3.5mm thickness.
Handle:cord wrapped handle.
With nylon sheath.





3 4DF4-120GE
4 4DF4-120GN

12"overall dagger
Blade:3Cr13 S.Steel black blade,
4mm thickness.
Handle:pakkawood
wrapped with cord.
With nylon sheath.



7 4DF7-90GE
8 4DF7-90GN

9"overall dagger
Blade:3Cr13 S.Steel black blade,
3.5mm thickness.
Handle:pakkawood with
rubberized finish.
With nylon sheath.





5 4DF5-130AGE
6 4DF5-130AGN

13"overall dagger
Blade:3Cr13 S.Steel black blade,
4mm thickness.
Handle:pakkawood rubberized finish.
With nylon sheath.

13 4DF12-140BKPK
14 4DF12-140GE
15 4DF12-140GN
16 4DF12-140PK

14"overall dagger
Blade:3Cr13 S.Steel black blade,
4mm thickness.
Handle:pakkawood with rubberized finish.
With glass breaker.
With 600D nylon sheath.



9 4DF10-100GE
10 4DF10-100GN

10"overall dagger
Blade:3Cr13 S.Steel black blade,
3.5mm thickness.
Handle:pakkawood with rubberized finish.
With nylon sheath.

11 4DF11-115GE
12 4DF11-115GN

11.5"overall dagger
Blade:3Cr13 S.Steel black blade,
4mm thickness.
Handle:pakkawood with rubberized finish.
With glass breaker.
With nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4DF13-140BKPK
2 4DF13-140GE
3 4DF13-140GN
4 4DF13-140PK

14"overall dagger
Blade:3Cr13 S.Steel black blade, 4mm thickness.
Handle:pakkawood with rubberized finish.
With 600D nylon sheath.





5 4DO29-105S
6 4DO29-105SW

10.5"overall dagger
Blade:3Cr13 S.Steel satin/stone washed blade,4mm thickness.
Handle:wrapped with paracord.
With black nylon sheath.



7 4DO30-105BK
8 4DO30-105C
9 4DO30-105S
10 4DO30-105SL
11 4DO30-105SW

10.5"overall dagger
Blade:3Cr13 S.Steel black/camo/satin/satin/stone wahsed blade, 3mm/3mm/4mm/3mm/4mm thickness.
Handle:wrapped with paracord.
With black nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4DO31-125GNA
2 4DO31-125GNB

12.5"overall dagger
Blade:3Cr13 S.Steel satin/black blade,
3.5mm thickness.
Handle:PP+TPR twice injection handle.
With 1680D nylon sheath.

3 4DO32-125GNA
4 4DO32-125GNB

12.5"overall dagger
Blade:3Cr13 S.Steel satin/black blade,
3.5mm thickness.
Handle:PP+TPR twice injection handle.
With 1680D nylon sheath.



8 4DT10-105BK

10.5"overall dagger
Blade:3Cr13 S.Steel black blade.
Handle:cord wrapped handle.

9 4DT12-85DN

8.5"overall dagger
Blade:3Cr13 S.Steel satin blade,
4.5mm thickness.
Handle:cord wrapped handle.
With nylon sheath.

10 4DT11-80BG

8"overall dagger
Blade:3Cr13 S.Steel satin blade,
3.5mm thickness.
Handle:black G10 handle.
With nylon sheath.

5 4DO33-125GN
6 4DO34-125GN
7 4DO36-125GN

12.5"overall dagger
Blade:3Cr13 S.Steel satin/black/satin blade,
3.5mm thickness.
Handle:PP+TPR twice injection handle.
With 1680D nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4DT4-80BK
2 4DT5-80DC

8"overall dagger
Blade:3Cr13 S.Steel stone washed blade,
4mm thickness.
Handle:G10 handle.
With kydex sheath.

3 4DT6-85BKA
4 4DT6-85BKB

8.5"overall dagger
Blade:3Cr13 S.Steel
corrosion/stone washed
blade,4mm thickness.
Handle:G10 handle.
With kydex sheath.



5 4DT9-100BK

10"overall dagger
Blade:3Cr13 S.Steel grey titanium coated blade,
4mm thickness.
Handle:black rubber handle.
With plastic sheath.



6 4DT45-60BK
7 4DT46-60DT
8 4DT47-60DT
9 4DT48-60BK
10 4DT48-60BN

6"overall dagger
Blade:3Cr13 S.Steel stone washed blade,
3.5mm thickness.
Handle:G10 handle.
With kydex sheath.



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4DT14-100BK
2 4DT14-100GE
9.75"overall dagger
Blade:3Cr13 S.Steel stone washed blade,
4mm thickness.
Handle:black/orange G10 handle
with nylon rope.
With nylon sheath.



11 JL11032-110TPTMK
11"overall dagger
Blade:3Cr13 S.Steel grey titanium coated,
5mm thickness.
Handle:micarta.
With leather sheath.



3 4DT41-80BK **5** 4DT51-110BK
4 4DT41-95TN **6** 4DT51-110BKS
8"/9.5"/11"overall dagger
Blade:3Cr13 S.Steel.
Handle:G10 handle.
With kydex sheath.



7 4DT53-110S **9** 4DT54-110S
8 4DT53-110SW **10** 4DT54-110SW
11"overall dagger
Blade:3Cr13 S.Steel satin/stone washed blade,
4mm thickness.
Handle:black G10 handle
With black nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4DT56-105SW
10.5"overall dagger
Blade:9Cr18 S.Steel black titanium coated+stone washed blade, 5.5mm thickness.
Handle:black G10 handle.
With kydex sheath.

2 5DT4-80BKG
3 5DT5-80YWG
4 5DT6-85BLG
8"/8"/8.5"overall dagger
Blade:3Cr13 S.Steel black coated+stone washed blade, 4mm thickness.
Handle:G10 handle.
With kydex sheath.

5 5DR1-90BK **9** 5DR2-90BK
6 5DR1-90DT **10** 5DR2-90DT
7 5DR1-90GN **11** 5DR2-90GN
8 5DR1-90OR **12** 5DR2-90OR
9"overall dagger&4.5"spring assistant knife set
Blade:3Cr13 S.Steel black coated+stone washed blade, 4mm&3mm thickness.
Handle:G10 handle.
With 600D nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 5DO4-2PCS
9.45"&3.75"overall dagger
Blade:9Cr18 S.Steel mirror finished blade,5.45"&2"length, 1.5mm thickness.
Handle:ABS.
With black PVC leather sheath.



2 5DO5-95WD
9.5"overall dagger
Blade:3Cr13 S.Steel black blade, 3.5mm thickness.
Handle:pakkawood handle.
With leather sheath.



3 5DO6-85WD
8.5"overall dagger
Blade:3Cr13 S.Steel black blade, 3.5mm thickness.
Handle:pakkawood handle.
With leather sheath.

4 5DO7-90WD
9"overall dagger
Blade:3Cr13 S.Steel satin blade, 3.5mm thickness.
Handle:pakkawood handle.
With 600D nylon sheath.

5 5DO9-2PCS
8.5"&6"overall dagger
Blade:3Cr13 S.Steel satin blade, 3.5mm&2.5mm thickness.
Handle:pakkawood handle.
With 600D nylon sheath.





6 5DO10-2PCS
8.5"&6"overall dagger
Blade:3Cr13 S.Steel satin blade, 3.5mm thickness.
Handle:pakkawood handle.
With 600D nylon sheath.



7 5DT32-125A
8 5DT32-125B
12.5"overall dagger
Blade:3Cr13 S.Steel black blade, 7"length,3mm thickness.
Guard:S.Steel black guard, 3mm thickness.
Handle:wrapped with full grain cow leather.
With glass breaker.
With black PU leather sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 5DO12-100
2 5DO13-100
10"overall dagger
Blade:3Cr13 S.Steel black coated+stone washed blade,
5mm thickness.
Handle:wrapped with 7 cores paracord.

3 5DO16-80
4 5DO17-80
5 5DO18-80
8"overall dagger
Blade:3Cr13 S.Steel black coated+stone washed blade,
4mm thickness.
Handle:wrapped with 7 cores paracord.

6 5DO19-70
7"overall dagger
Blade:3Cr13 S.Steel black coated+stone washed blade,
3.5mm thickness.
Handle:wrapped with 7 cores paracord.

7 5DO21-60
5.75"overall dagger
Blade:3Cr13 S.Steel black coated+
stone washed blade,
3.5mm thickness.
Handle:wrapped with 7 cores
paracord.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 5DT15
2 5DT15-BK
3 5DT15-S

7.5"overall dagger
Blade:3Cr13 S.Steel rainbow coated/black/satin blade.
Handle:plastic handle.
With plastic sheath.

4 5DZ1-100BK
5 5DZ1-100BKA

10"overall dagger
Blade:3Cr13 S.Steel corrosion blade,3mm thickness.
Handle:wrapped with paracord.
With 600D nylon sheath.

8 JL11215-105BKA
9 JL11215-105BKB

10.5"overall dagger
Blade:3Cr13 S.Steel black blade,
5"length,4mm thickness.
Handle:black anodized aluminum
With nylon sheath.

6 5DZ2-100BK
7 5DZ2-100CA

10"overall dagger
Blade:3Cr13 S.Steel corrosion blade,3mm thickness.
Handle:wrapped with paracord.
With 600D nylon sheath.

HTTP:WWW.DAVGEAR.COM
Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 JL10742-105

9.5"overall dagger
Blade:forging steel blade.
Handle:wood handle.
Guard:S.Steel.



2 JL10744-110

10"overall dagger
Blade:forging steel blade.
Handle:wood handle.
Guard:S.Steel.



3 JL10743-105

9.5"overall dagger
Blade:forging steel blade.
Handle:wood handle.
Bolster:S.Steel.



4 JL10745-90

9.25"overall dagger
Blade:forging steel blade.
Handle:wood handle.
Bolster:S.Steel.



5 JL10746-90

9.25"overall dagger
Blade:forging steel blade.
Handle:wood handle.
Bolster:S.Steel.

6 JL10747-80

7.75"overall dagger
Blade:forging steel blade.
Handle:wood handle.



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 **JL10753-75W**

7.5"overall dagger
Blade:3Cr13 S.Steel satin blade,3mm thickness.
Handle:G10 handle.
Bolster:S.Steel.

2 **JL10755-70W**
3 **JL10755-70WB**

7"overall dagger
Blade:3Cr13 S.Steel satin blade,
3mm thickness.
Handle:cnc micarta handle.
Bolster:S.Steel.

4 **JL10761-80G**
5 **JL10761-80W**

8"overall dagger
Blade:3Cr13 S.Steel satin blade,
3mm thickness.
Handle:G10/micarta handle.

8 **JL11121-90PKW**

9"overall dagger
Blade:3Cr13 S.Steel satin
blade,4mm thickness.
Handle:black pakkawood handle.
Bolster:S.Steel.

6 **JL10781-2PC**
7 **JL10781-2PC-ALCA**

7"&6.5"overall dagger
Blade:3Cr13 S.Steel satin/black blade,
3mm thickness.
Handle:bone/alum camo coated handle.
With nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 JL10972-90PKRWA
2 JL10972-90PKRWB
3 JL10972-90PKRWC
4 JL10972-90PKRWD

9"overall dagger
Blade:3Cr13 S.Steel mirror finished blade with laser pattern,3mm thickness.
Handle:rosewood handle.
Bolster:black pakkawood.

5 JL10973-115PKDH

11.25"overall dagger
Blade:3Cr13 S.Steel satin blade with laser pattern, 4mm thickness.
Handle:black pakkawood+ deer horn handle.
Guard:S.Steel.

6 JL11218-80

8"overall dagger
Blade:3Cr13 S.Steel satin blade, 3mm thickness.
Handle:rosewood handle.
Guard:S.Steel.

9 JL11235-95

9.5"overall dagger
Blade:3Cr13 S.Steel satin blade.
Handle:raizwood handle.

7 JL11219-70
8 JL11220-70

7"overall dagger
Blade:3Cr13 S.Steel mirror finished blade, 3mm thickness.
Handle:zebra wood handle.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 JL11107-100BKG
10"overall dagger
Blade:440 S.Steel satin finished blade.
Handle:black G10 handle.



2 JL11108-85BKG
8.5"overall dagger
Blade:440 S.Steel satin finished blade.
Handle:black G10 handle.



3 JL11109-90BKG
9"overall dagger
Blade:440 S.Steel satin finished blade.
Handle:black G10 handle.



4 JL11222-100G
10"overall dagger
Blade:S.Steel black blade,
5mm thickness.
Handle:black G10 handle.



5 JL11222-100A
10"overall dagger
Blade:S.Steel satin blade,
5mm thickness.
Handle:carbon fiber handle.



6 JL11223-115
11.5"overall dagger
Blade:S.Steel satin blade,6mm thickness.
Handle:black G10 handle,
6mm thickness one side.



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4MN11-420
42"overall machete
Blade length:26"
Blade:carbon steel black blade.
Handle:wrapped with nylon cord.
Sheath:PU leather sheath.

2 4MN12-245
24.5"overall machete
Blade length:20"
Blade:carbon steel black blade.
Handle:wrapped with nylon cord.
Sheath:PU leather sheath.





3 4MN18-250
25"overall machete
Blade length:18"
Blade:cast iron blade,4mm thickness.
Handle:wrapped with black leather and brown cord.
Sheath:PU leather sheath.

4 4MN19-285
28.5"overall machete
Blade length:22"
Blade:carbon steel,4mm thickness.
Handle:wrapped with cord.
Guard:zinc alloy.
Sheath:nylon sheath.

5 4MR5-275
27.5"overall machete
Blade length:13.5"
Blade:3Cr13 black plated blade, 4.5mm thickness.
Handle:nylon fiber wrapped with nylon cord.
Sheath:nylon sheath.

6 4MT2
36"overall machete
Blade:420 S.Steel blade.
Handle:wrapped with cord.





7 JL7723-155
15.5"overall machete
Blade:420 S.Steel blade.
Handle:black rubber.
With black nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4MN15-280

28"overall machete
Blade length:20"
Blade:3Cr13 S.Steel black blade,4mm thickness.
Handle:real leather handle.
With nylon sheath.

2 JL11244-275BK

27.5"overall machete
Blade length:19.75"
Blade:3Cr13 S.Steel black painting,3.5mm thckness
Handle:leather handle
With nylon shetah



3 4MN17-290

29"overall machete
19.5"length,4mm thickness blade.
11.5"overall dagger
6.5"length blade.
8.5"/6.5" overall throwing knife
Blade:3Cr13 S.Steel
Handle:real leather/nylon cord.
With PU sheath.



4 5MN1-240

24"overall machete
10"overall dagger
Blade:420 S.Steel black blade.
Handle:wrapped with nylon rope.
With nylon sheath.

5 JL11086-205GE

20.5"overall machete
Blade:3Cr13 S.Steel black blade,3mm thickness.
Handle:orange PP+rubber handle.
With nylon sheath.



6 JL11086-235GE
7 JL11086-235YW

23.5"overall machete
Blade:3Cr13 S.Steel black blade,3mm thickness.
Handle:orange/yelow PP+rubber handle.
With nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4MR8-275
27.5"overall machete
Blade length:14.5"
Blade:3Cr13 S.Steel black blade,4mm thickness.
Handle:nylon fiber wrapped with cord.
With nylon sheath.

2 4MZ4-175
17.5"overall machete
Blade length:11"
Blade:3Cr13 S.Steel blade,3mm thcikness
Handle:ABS handle
With nylon shetah

3 4MZ2-290GN
29"overall machete
Blade length:19.5"
Blade:3Cr13 S.Steel black blade,4mm thcikness
Handle:wood handle wrapped with cord.
With nylon shetah

4 4MT1-2PCA
5 4MT1-2PCB
6 4MT1-295RD
7 4MT1-295RD
29.5"overall machete
Blade:3Cr13 S.Steel black blade,
3mm thickness
Handle:wrapped with nylon rope.
With nylon sheath.

9 4MZ3-265GN
26.5"overall machete set
Blade:3Cr13 S.Steel black blade,3.5mm thickness.
Handle:wood wrapped with nylon cord.
With nylon sheath.

8 4MZ5-190
19"overall machete
Blade length:12.5"
Blade:3Cr13 S.Steel black blade
4mm thickness.
Handle:wrapped with nylon rope.
With nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5MN3-155BK
2 5MN3-155BL
3 5MN3-155GE
4 5MN3-155GN
5 5MN3-155RD
6 5MN3-155YW

15.5"overall machete
Blade length:10"
Blade:3Cr13 S.Steel black painting blade, 3mm thickness.
Handle:PP+TPR twice injection.
With 600D nylon sheath.





7 5MN4-155BK
8 5MN4-155BKB
9 5MN4-155RD
10 5MN4-155RDB

15.5"overall machete
Blade length:10"
Blade:3Cr13 S.Steel stone washed with pits/black coated blade,3mm thickness.
Handle:PP+TPR twice injection.
With 600D nylon sheath.







11 JL11180-BK

25.5"/17.5"/12"overall machete
Blade length:16.5"/11"/7"
Blade:3Cr13 S.Steel black painting blade, 3mm thickness.
Handle:wrapped with black nylon rope.
With black nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 JL1481-195
2 JL1489-160
3 JL1489-200

19.5"/15.75"/19.75"overall machete
Blade:carbon steel forging blade,
6mm thickness.
Handle:wrapped with imitation leather.
With nylon sheath.

4 JL2490-200
5 JL2491-200

20"overall machete
Blade:carbon steel forging blade.
Handle:cord wrapped handle.

6 5MN7-375
7 5MN8-515

37.5"/51.5"overall machete
Blade length:22"/22.8"
Blade:carbon steel forging blade,
8mm thickness.
Handle:wood handle wrapped
with black cloth.
With nylon sheath.

8 5MN6-535

53.5"overall machete
Blade length:25"
Blade:carbon steel forging blade,
12mm thickness.
Handle:wood handle wrapped with black cloth.
With black PU leather sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5MN9-270SL
2 5MN9-2PCA
3 5MN9-2PCB
4 5MN9-2PCC

27"overall machete
Blade length:17.5"
Blade:3Cr13 S.Steel satin blade,
3.5mm thickness.
Handle:wrapped with nylon rope.
With black nylon sheath.



7 JL11238
8 JL11239

Machete
Blade:3Cr13 S.Steel blade.
With nylon sheath.

6 JL11243-190

19"overall machete
Blade:3Cr13 S.Steel blade.
Handle:plastic handle.
With nylon sheath.

5 JL7555-2PC

2pcs set
25"&18"overall machete
Blade:3Cr13 S.Steel black blade.
Handle:cord wrapped handle.
With nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5MN15-275GN
2 5MN15-275BS
3 5MN15-275BK
4 5MN13-275BSA
5 5MN13-275BKA
6 5MN11-275RD
7 5MN11-275RB
8 5MN11-275GN
9 5MN11-275BS
10 5MN11-275BK
11 5MN10-275GNA
12 5MN10-275BSA
13 5MN10-275BKA

27.5"overall machete
Blade:3Cr13 S.Steel blade,
3mm thickness.
Handle:wrapped with nylon rope.
With black nylon sheath.



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Email: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Email: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Email: cs3@davgear.com

1 5MN10-275BKB
2 5MN10-275BSB
3 5MN10-275GNB
4 5MN13-275BKB
5 5MN13-275BSB

27.5"overall machete
Blade:3Cr13 S.Steel blade,
3mm thickness.
Handle:wrapped with nylon rope.
With black nylon sheath.





6 JL11180-GN
7 JL11180-RD

25.5"/17.5"/12"overall machete
Blade length:16.5"/11"/7".
Blade:3Cr13 S.Steel blade,3mm thickness.
Handle:wrapped with nylon rope.
With black nylon sheath.



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 JL11181-240
2 JL11181-245
24"/24.5"overall machete
Blade:3Cr13 S.Steel blade,18"length,
4mm/3mm thickness.
Handle:rubber+ABS/ABS.
With black nylon sheath.



3 JL11186-ABS
19"&24"overall machete
Blade:3Cr13 S.Steel blade,13.5"&18.5"length,
3mm thickness.
Handle:ABS.
With black nylon sheath.

4 JL11186-RABS
19"&24"overall machete
Blade:3Cr13 S.Steel blade,13.5"&18.5"length,
4mm thickness.
Handle:rubber+ABS.
With black nylon sheath.

5 JL11186-GN
14.7"&19.8"overall machete
Blade:3Cr13 S.Steel blade,13.5"&18.5"length,
3mm thickness.
Handle:ABS.
With black nylon sheath.





8 JL11187-GN
22"&28"overall machete
Blade:3Cr13 S.Steel blade,
15.8"&21.5"length,
3mm thickness.
Handle:ABS.
With black nylon sheath.





6 JL11187-ABS
7 JL11187-RABS
21"&27"overall machete
Blade:3Cr13 S.Steel blade,15.8"&21.5"length,
3mm/4mm thickness.
Handle:ruber+ABS.
With black nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 **4AF1-125**

12.4"overall length axe
Blade:carbon steel blade,5mm thickness.
Handle:cotton cord.

2 **5AM1-200**

20"overall length axe
Blade size:7"X6"
Blade:carbon steel.
Handle:wood handle with PU leather.
With wood plaque.

3 **4AN1-110BN**
4 **4AN1-110BK**

11"overall length axe
Blade:3Cr13 S.Steel stone washed,
5.5mm thickness.
Handle:G10 handle.
With kydex sheath.

5 **4AN2-90DT**
6 **4AN2-90BK**

9"overall length axe
Blade:3Cr13 S.Steel stone washed,
5mm thickness.
Handle:G10 handle.
With kydex sheath.

7 **4AN3-95BN**
8 **4AN3-95BK**

9.5"overall length axe
Blade:3Cr13 S.Steel stone washed,
5mm thickness.
Handle:G10 handle.
With kydex sheath.

9 **4AN4-90BN**
10 **4AN4-90BK**

9"overall length axe
Blade:3Cr13 S.Steel stone washed,
5mm thickness.
Handle:G10 handle.
With kydex sheath.



1



3



5



4



6



7



9



8



10



2

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4AN5-85BN
2 4AN5-85BK

8.3"overall length axe
Blade:3Cr13 S.Steel stone washed,
5.5mm thickness.
Handle:G10 handle.
With kydex sheath.





3 4AN6-90BN
4 4AN6-90BK

8.8"overall length axe
Blade:3Cr13 S.Steel stone washed,
5mm thickness.
Handle:G10 handle.
With kydex sheath.





7 5AO1-90BK
8 5AO1-90BKB

9"overall length axe
Blade:2Cr13 S.Steel black coated.
Handle:nylon glass-fiber handle.
With 1680D+PVC nylon sheath.







9 DAV143-170BK
10 DAV143-170AGN
11 DAV143-170RD
12 DAV143-170GE
13 DAV143-170GN

17"overall axe
Blade:3Cr13 S.Steel black coated.
Handle:nylon glass-fiber handle.
With heavy duty nylon sheath.

5 4AN7-85BK
6 4AN7-85BDT

8.5"overall length axe
Blade:3Cr13 S.Steel stone washed,
5mm thickness.
Handle:G10 handle.
With kydex sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 4AO1-110GN
2 4AO1-110BK

11"overall length axe
Blade:3Cr13 S.Steel black coated,
3.5mm thickness,5.8"length.
Handle:PP+TPR twice injection handle.
With 1680D nylon sheath.





7 BY049-140BK
8 BY049-140GN
9 BY049-140OR

14"overall length axe
Blade:2Cr13 S.Steel black coated,
19mm thickness.
Handle:PA+nylon fiber.
With cutting saw & fire starter
With ABS sheath.



3 4AT1-170DT
4 4AT1-170CA
5 4AT1-170BK
6 4AT1-170AGN

17"overall length axe
Blade:3Cr13 S.Steel black painting,
3mm thickness.
Handle:wrapped with paracord.
With 1680D nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4AZ1-165GN
16.7"overall length axe
Blade:3Cr13 S.Steel black blade,
5mm thickness.
Handle:nylon fiber wrapped cord.
With nylon sheath.

2 4AZ9-160
16"overall length axe
Blade:3Cr13 S.Steel satin blade,
4.5mm thickness.
Handle:nylon fiber wrapped cord.
With nylon sheath.

4 4AZ3-130
12.8"overall length axe
Blade:3Cr13 S.Steel black blade,
4.5mm thickness.
Handle:wood wrapped nylon cord.
With nylon sheath.

3 4AZ2-120
12"overall length axe
Blade:3Cr13 S.Steel black blade,
4.5mm thickness.
Handle:wood wrapped nylon cord.
With nylon sheath.

5 4AZ4-105GN
6 4AZ5-140GN
7 4AZ6-135GN
8 4AZ8-165GN
10.5"/13.75"/13.5"/16.5"overall length axe
Blade:3Cr13 S.Steel black blade,
4mm thickness.
Handle:wrapped green nylon rope.
With 600D nylon sheath.

11 5AZ2-133GN
12 5AZ4-126GN
13.3"/12.6"overall length axe
Blade:3Cr13 S.Steel black plated blade,
4mm thickness.
Handle:wrapped green nylon rope.
With nylon sheath.

9 4AZ8-170GN
10 4AZ8-170RD
17"overall length axe
Blade:3Cr13 S.Steel black blade,
3mm thickness.
Handle:wrapped with black paracord.
With 1680D nylon sheath.

13 5AZ7-150GN
15"overall length axe
Blade:3Cr13 S.Steel black blade,
5mm thickness.
Handle:wrapped green nylon rope.
With black nylon sheath.

080
HTTP:WWW.DAVGEAR.COM
Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 **5AZ6-110BK**
10.75"overall length axe
Blade:3Cr13 S.Steel black painting blade,
4mm thickness.
Handle:wrapped with green nylon rope.
With black nylon sheath.

2 **5AZ6-110C**
10.75"overall length axe
Blade:3Cr13 S.Steel camo coated blade,
4mm thickness.
Handle:wrapped with black nylon rope.
With black nylon sheath.



3 **5AZ8-150BK**
15"overall length axe
Blade:3Cr13 S.Steel black painting blade,
5mm thickness.
Handle:wrapped with black nylon rope.
With black nylon sheath.

6 **BY043-115BKGN**
7 **BY043-115BKRD**
8 **BY043-115BKGE**
11.5"overall length axe
Blade:3Cr13 S.Steel black blade,
3mm thickness.
Handle:wrapped with rope.
With black nylon sheath.



4 **BY045-100GN**
5 **BY045-100GNS**
10"overall length axe
Blade:3Cr13 S.Steel black blade,
3mm thickness.
Handle:pakkawood with green painting.
With black nylon sheath.



9 **5AZ5-100GN**
10 **5AZ5-100GNB**
10"overall length axe
Blade:3Cr13 S.Steel corrosion blade,
3mm thickness.
Handle:wrapped green nylon rope.
With 600D nylon sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4LN1-40BK
2 4LN1-40SL
3 4LN1-40BLBK
4 4LN1-40GDBK
5 4LN1-40RTYW

4" closed multi-pliers
Blade:2Cr S.Steel black coated pliers
Handle:anodized alum handle&rubber inlay
Fitting:8 PCS S.Steel blades with lock
Sheath:nylon sheath



6 4LN2-25BK
7 4LN2-25BL
8 4LN2-25RDBK
9 4LN2-25RTYW
10 4LN2-25SLBK

2.5" closed multi-pliers
Blade:2Cr S.Steel black coated pliers
Handle:anodized alum handle&ABS inlay
Fitting:8 PCS S.Steel blades without lock
Sheath:nylon sheath

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com









1 4LN2-40SLBK
2 4LN2-40GDBK
3 4LN2-40RTYW
4 4LN2-40BK
4" closed multi-pliers
Blade:2Cr S.Steel satin pliers
Handle:S.Steel handle&ABS inlay
Fitting:8 PCS S.Steel blades with lock
Sheath:nylon sheath









5 4LN3-25GD
6 4LN3-25SLBL
7 4LN3-25SLRD
8 4LN3-25TYW
2.5" closed multi-pliers
Blade:2Cr S.Steel satin pliers&4Cr S.Steel wire cutter
Handle:S.Steel handle&ABS inlay
Fitting:8 PCS S.Steel blades without lock
Sheath:nylon sheath

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 4LN3-40BL
2 4LN3-40BK
3 4LN3-40GD
4 4LN3-40RTYW
4" closed multi-pliers
Blade:2Cr S.Steel satin pliers&4Cr S.Steel wire cutter
Handle:S.Steel handle&ABS inlay
Fitting:8 PCS S.Steel blades without lock
Sheath:nylon sheath

5 4LN5-40BKB
6 4LN5-40BKL
7 4LN5-40GD
8 4LN5-40RTYW
4" closed multi-pliers
Blade:2Cr S.Steel satin pliers&4Cr S.Steel wire cutter
Handle:S.Steel handle&rubber inlay
Fitting:8 PCS S.Steel polished blades with lock
Sheath:nylon sheath

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 4LN6-40GE
2 4LN6-40GY
3 4LN6-40GYL
4 4LN6-40YW
4" closed multi-pliers
Blade:2Cr13 S.Steel pliers
Handle:ABS handle
Fitting:8PCS S.Steel blades with lock
With nylon sheath

5 4LN9-40BK
6 4LN9-40BKGE
4" closed multi-pliers
Blade:2Cr S.Steel satin pliers
Handle:anodized alum handle
Fitting:8 PCS S.Steelblades without lock
Sheath:nylon sheath

7 4LN12-40BK
8 4LN12-40GE
9 4LN12-25BK
10 4LN12-25GE
4"/2.5" closed multi-pliers
Blade:2Cr S.Steel black coated pliers
Handle:ABS handle
Fitting:8 PCS S.Steel blades without lock
Sheath:nylon sheath

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4LN13-40BK
2 4LN14-40BK
4" closed multi-pliers
Blade:2Cr S.Steel satin pliers
with 4Cr S.Steel wire cutter
Handle:anodized alum handle
with rubber inlay
Fitting:8 PCS S.Steel blades
without lock
Sheath:nylon sheath



1



2



3

3 4LN15-40BLBK
4 4LN15-40SLBL
4" closed multi-pliers
Blade:2Cr S.Steel pliers
Handle:S.Steel handle
with ABS inlay
Fitting:8 PCS S.Steel
blades without lock
Sheath:nylon sheath



4

5 4LN20-40BK
6 4LN21-40
4" closed multi-pliers
Blade:2Cr S.Steel satin pliers
with 4Cr S.Steel wire cutter
Handle:S.Steel handle
Fitting:8 PCS S.Steel blades with lock
Sheath:nylon sheath



5



6



7

7 4LN22-50SS
4.75" closed multi-tools
Pliers:3Cr13 S.Steel black blade
Fitting:3Cr13 S.Steel black blade
Handle:2Cr13 S.Steel black handle
Weight:150g
with saftly lock function
with clip
with additional bits set
with nylon sheath

8 4LN23-50BK
5" closed multi-tools
Pliers:3Cr13 S.Steel black blade
Fitting:3Cr13 S.Steel black blade
Handle:2Cr13 S.Steel black handle
Weight:191g
with clip
with additional bits set
with nylon sheath



8

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5LN5-30BK
2 5LN5-30RTYW
3 5LN5-40BK
4 5LN5-40RTYW

2.75"/4" closed multi-pliers
Blade:2Cr S.Steel pliers
Handle:S.Steel handle with alum inlay
Fitting:8 PCS S.Steel blades without lock
Sheath:nylon sheath









7 5LN7-40BK
8 5LN7-40GY
9 5LN8-40AHBK
10 5LN8-40GY

4" closed multi-pliers
Blade:2Cr S.Steel pliers
with 4Cr S.Steel wire cutter
Handle:alum handle
Fitting:8 PCS S.Steel blades with lock
Sheath:nylon sheath

5 5LN12-40BK
6 5LN12-40RTYW

4" closed multi-pliers
Blade:2Cr S.Steel pliers
Handle:S.Steel handle with alum inlay
Fitting:8 PCS S.Steel blades without lock
Sheath:nylon sheath











Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 5LN10-40BK
2 5LN10-40RTYW
4" closed multi-pliers
Blade:2Cr S.Steel pliers with 4Cr S.Steel wire cutter
Handle:alum handle with rubber inlay
Fitting:8 PCS S.Steel blades without lock
Sheath:nylon sheath





4 4LN24-45RD
5 4LN24-45BK
4.4" closed multi-pliers
Blade:2Cr S.Steel pliers
Handle:TPR+ABS handle
Fitting:3Cr13 S.Steel blades with lock
Sheath:nylon sheath





6 4LN26-40BK
7 4LN26-40GE
4" closed multi-tools
Blade:2Cr13 S.Steel pliers
Handle:anodized alum handle
Fitting:3Cr13 S.Steel blades with lock
Sheath:nylon sheath



3 5LN11-40BK
4" closed multi-pliers
Blade:2Cr S.Steel pliers with 4Cr S.Steel wire cutter
Handle:alum handle with rubber inlay
Fitting:S.Steel blades without lock
Sheath:nylon sheath

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 4LN28-35RD
2 4LN28-35BK
3.5" closed multi-tools
Blade:3Cr13 S.Steel blade
Handle:anodized alum handle
Fitting:3Cr13 S.Steel blade

3 4LN27-45GE
4 4LN27-45BK
4.5" closed multi-tools
Pliers:2Cr13 S.Steel satin pliers
Handle:anodized alum handle
Fitting:3Cr13 S.Steel blade
with lock/clip/nylon sheath

5 4LN29-25BK
6 4LN29-25RD
2.5" closed multi-tools
Blade:3Cr13 S.Steel blade
Handle:anodized alum handle
Fitting:3Cr13 S.Steel satin blades

7 4LN30-30BK
8 4LN30-30RD
2.8" closed multi-tools
Handle:anodized alum handle
Fitting:3Cr13 S.Steel blades

HTTP:WWW.DAVGEAR.COM
Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com





1 4LN31-25BL
2 4LN31-25GE
3 4LN31-25GE
2.5" closed multi-tools
Handle:anodized alum handle
Fitting:3Cr13 S.Steel blades







4 4LN25-40BK
5 4LN25-40BL
6 4LN25-40GE
4" closed multi-pliers
Blade:2Cr13 S.Steel pliers
Handle:anodized alum handle
Fitting:3Cr13 S.Steel blades
Sheath:nylon sheath



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 **4SM1-425**

42.5" sword
Blade:carbon steel.
Handle:iron.
Fittings:zinc alloy.
Sheath:wood sheath.



2 **4SM14-435B**
3 **4SM14-435BK**

43.5"overall length sword
Blade:carbon steel baking blade,4mm thickness.
Handle:wood handle with painting.
Guard and fittings:zinc alloy.
Sheath:black PU leather bag.



4 **4SM14-430A**

43"overall length sword
Blade:carbon steel baking blade, 4mm thickness.
Handle:wood handle with painting.
Guard and fittings:zinc alloy.
Sheath:black PU leather bag.



5 **4SM14-420A**

42.5"overall length sword
Blade:S.Steel painting blade.
Handle:iron handle with painting.
Guard and fittings:zinc alloy.
Sheath:wood sheath.



6 **3SM11-425**

42.5" sword
Blade:carbon steel.
Handle:wood with painting.
Guard and fittings:zinc alloy.
Sheath:black PU sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 **3SM10-425**
42.5"overall length sword
Blade:carbon steel,4mm thickness.
Handle:wood.
Guard and fittings:zinc alloy.
Sheath:black PU leather bag.



2 **3SM4-435**
43.5"sword
Blade:carbon steel,4mm thickness.
Handle:wood+painting.
Guard and fittings:zinc alloy.
Sheath:PU.



3 **3SM2-425**
42.5"sword
Blade:carbon steel,4mm thickness.
Handle:wood+painting.
Guard and fittings:zinc alloy.
Sheath:PU.



4 **3SM1-415**
41.5" sword
Blade:carbon steel,4mm thickness.
Handle:wood handle.
Guard and fittings:zinc alloy.
Sheath:black PU.





5 **4SM1-450BK**
45"sword
Blade:carbon steel.
Handle:wood handle.
Guard and fittings:zinc alloy.
Sheath:wood+painting.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5SM16-405
40.5"overall length sword
Blade:carbon steel,4mm thickness.
Handle:wood with black painting.
Fittings material:zinc alloy.
Sheath:black PU leather bag.



2 3SM3-425PK
3 3SM3-425
42.5"sword
Blade:carbon steel,4mm thickness.
Handle:wood+painting.
Guard and fittings:zinc alloy.
Sheath:PU.



4 5SM17-475
47.5"overall length sword
Blade:carbon steel blue baking,4mm thickness,33"length.
Handle:black painting iron handle wrapped with PU leather,
with acrylic gem inlay.
Guard material:zinc alloy.
Sheath:PU leather with belt.



5 4SM15-455BL
45.5" sword
Blade:carbon steel,
4mm thickness.
Handle:wood handle.
Guard and fittings:zinc alloy.
Sheath:wood+red painting.





6 4SM15-420
42"sword
Blade:carbon steel.
Handle:wood handle.
Guard and fittings:zinc alloy.
Sheath:wood sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com





4SM13-410BL
4SM13-410BK
40.94" overall,26" blade.
Blade:carbon steel.
Handle:ABS.
Fitting:zinc alloy.
Scabbard:wood



3WM15
Shield
Size:8.07"x6.50"
Material:resin.

SWORD
16.93" overall,12.99" balde
Blade:s.steel
Handle:zinc ally



3WM4
STANDER
size:2.36"x3.23"
Material:resin

SWORD
5.43" overall,3.54" blade.
Blade:zinc alloy.
Handle:zinc alloy.



3WM5
Shield
Size:2.76"x3.94"
Material:resin.

SWORD
7.48" overall
Blade:s.steel
Handle:zinc ally



4WM77
SHIELD
Size:17.3"X13"
Material:PU

SWORD
Overall length:40.6"
Material:PU



4WM76
Size:21.7"X17.3"
Material:PU



4WM78
Size:17.3"X13"
Material:PU



3WM2-BK
Size:17.32"x21.65"
Material:resin.



3WM2-BL
Size:17.32"x21.65"
Material:resin.



3WM13
Shield
Size:8.07"x6.50"
Material:resin.

SWORD
16.93" overall,12.99" blade
Blade:s.steel
Handle:zinc ally



3WM14
Shield
Size:8.07"x6.50"
Material:resin.

SWORD
16.93" overall,12.99" blade
Blade:s.steel
Handle:zinc ally



3WM3-BK
Size:19.67"x25"
Material:resin.



3WM3-BL
Size:19.67"x25"
Material:resin.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



















1 5SM19-360
2 5SM19-465
3 5SM19-415
4 5SM19-415B
36"/46.5"/46.5" sword
Blade:S.Steel
Handle:ABS+painting
Sheath:ABS+painting

5 4SM30-495BL
49.5"sword
Blade:S.Steel,4mm thickness
Handle:wood+PU
Guard and fittings:zinc alloy
Sheath:wood+PU

6 5SM132-370
37" sword
Blade:S.Steel
Handle:ABS+painting
Sheath:ABS+painting

7 4WM64-BL
8 4WM64-BK
9 4WM64-55RG
5.5" neck sword
Material:zinc alloy
Sheath:rubber+painting

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5SM37-160
2 5SM37-215
15.75"/21.5"overall sword
Blade:carbon steel blade,4mm thickness.
Handle:wrapped with green rope.
Sheath:black PU sheath.



13
28.5"overall sword
Blade:carbon steel blade,4mm thickness.
Handle:wood handle.
Sheath:black nylon sheath.

4 5SM51-250A
5 5SM51-250B
25"overall sword
Blade:carbon steel blade,4mm thickness.
Handle:wood handle.
Sheath:black PU sheath.

6 5SM50-315
31.5"overall sword
Blade:carbon steel blade,
4mm thickness.
Handle:carbon steel handle.
Sheath:red PU sheath.



7 5MM19-250GD
25"overall sword
Blade:carbon steel blade,
4mm thickness.
Handle:red baking alum handle.
Guard:carbon steel baking guard,
1.5mm thickness.
Fitting:zinc alloy.
Sheath:red PU sheath.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5SM2-245
24.6"overall length sword
Blade:carbon steel black plated blade,
4mm thickness,17.7" length.
Handle material:wood.
Fittings:zinc aloy.
Sheath:black leather bag.

2 5SM3-285
28.5"overall length sword
Blade:carbon steel black plated and printed,
4mm thickness,22.2" length.
Handle:wrapped with nylon rope.
Sheath:black leather bag.

3 5SM5-365
36.6"overall length sword
Blade:carbon steel black plated,4mm thickness,25.2" length.
Handle:wood wraped with white cord.
Fittings:zinc alloy.
Sheath:black nylon bag.



4 5SM4-375
37.4"overall length sword
Blade:carbon steel black plated and printed,
4mm thickness,26.4" length.
Handle:wood wraped with white cord.
Fittings:zinc alloy.
Sheath:black nylon bag.



5 5SM6-330
6 5SM7-330BL
33"overall length sword
Blade:carbon steel baking finish,
4mm thickness,23.6" length.
Handle:wood wraped with cord.
Guard and Fittings:zinc alloy.
Sheath:white leather bag.

7 5SM8-195
19.7"overall length sword
Blade:carbon steel black plated.
Handle:wood wraped with black nylon rope.
Sheath:black nylon bag.

8 5SM9-200
20.5"overall length sword
Blade:carbon steel baking
finish,4mm thickness
Handle:wraped with
black nylon rope.
Sheath:black nylon bag.



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 **5SM10-295**
29.5"overall length sword
Blade:carbon steel black plated,4mm thickness,20.5" length.
Handle:wrapped with black nylon rope.
Sheath:black leather bag.





3 **5MN16-280**
28"overall length machete
Blade:carbon steel polished blade with engraved pattern,4mm thickness,19" length.
Handle:hard wood wrapped with brown rope.
Guard and fittings:zinc alloy
Sheath:black nylon bag.

4 **5SM12-270**
35.4"overall length sword
Blade:carbon steel blade,4mm thickness,27" length.
Handle:wood with yellow lacquered.
Sheath:black nylon bag.



2 **5SM11-205**
20.85"overall length sword
Blade:carbon steel black plated,4mm thickness,13" length.
Handle:wrapped with black nylon rope.
Sheath:black nylon bag.



5 **5SM13-520**
52"overall length sword
Blade:carbon steel black plated and printed,
4mm thickness,12.6" length.
Handle:wood with black lacquered.
Sheath:black nylon bag.



6 **5SM35-470A**
47"overall length sword
Blade:two stainless steel blade
with green painting,19.5" length.
Handle material:zinc alloy,8" width.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 **5SM14-310**
30.7"overall length sword
Blade:carbon steel with red lacquered,
4mm thickness,18.5" length.
Handle:wrapped with red cord.
Sheath material:red PU leather.



2 **5SM14-310B**
30.7"overall length sword
Blade:carbon steel with black lacquered,
4mm thickness,18.5" length.
Handle:wrapped with black cord.
Sheath material:black PU leather.



3 **5SM14-310RD**
4 **5SM14-310BK**
30.7"overall length sword
Blade:carbon steel with lacquered,
4mm thickness,18.5" length.
Handle:wrapped with cord.
Sheath material:PU leather.



5 **5KM10-415**
41.3"overall length katana
Blade:carbon steel with black plating,4mm thickness,26.8" length.
Handle material:wood.
Guard and Fittings:zinc alloy.
Scabbard:wood with white lacquered..



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5KM37-405GD
40.5"overall katana
Blade:carbon steel polished blade,
4mm thickness,27" length.
Handle:wood wrapped with black leather and gold rope.
Guard and fittings:zinc alloy.
Scabbard:wood with painting.



2 5KM22-380WH
38"overall katana
Blade:carbon steel polished blade,
4mm thickness,27" length.
Handle:wood wrapped with white cloth.
Fitting:zinc alloy.
Sheath:white PU leather sheath.



3 5KM24-400
40"overall katana
Blade:carbon steel polished blade,
4mm thickness,27" length.
Handle:wood with painting.
Fitting:zinc alloy.
Scabbard:wood with painting.

4 5KM23-400
40"overall katana
Blade:carbon steel polished blade,
4mm thickness,27" length.
Handle:wood wrapped with red fake skin and cord.
Guard and fitting:zinc alloy.
Scabbard:wood with painting.





5 5KM27-410
41"overall katana
Blade:carbon steel polished blade,
4mm thickness,27" length.
Handle:wood wrapped with fake skin.
Ito and sageo:dark blue.
Guard and fitting:zinc alloy.
Scabbard:wood with blue painting.

6 5KM26-395
39.5"overall katana
Blade:carbon steel painting blade,
4mm thickness,27.5" length.
Handle:wood wrapped with fake skin and cord.
Guard and fitting:zinc alloy.
Scabbard:fake leather bag.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 5KM17-410BK
41"overall katana
Blade:carbon steel polished blade,
4mm thickness,27" length.
Handle:wood wrapped with PU leather and nylon rope.
Guard and fittings:zinc alloy.
Scabbard:wood with painting.



2 5KM20-410RD
41"overall katana
Blade:carbon steel polished blade,4mm thickness.
Handle:wood wrapped with PU&nylon rope.
Guard and fittings:zinc alloy.
Scabbard:wood scabbard.





3 5KM13-410RD
41"overall katana
Blade:carbon steel polished blade,
4mm thickness,27" length.
Handle:wood wrapped with
PU leather and nylon rope.
Guard and fittings:zinc alloy.
Scabbard:wood scabbard.



4 5KM18-410BL
41"overall katana
Blade:carbon steel polished blade,4mm thickness.
Handle:wood wrapped with PU leather and nylon rope.
Guard and fittings:zinc alloy.
Scabbard:wood scabbard.

5 5KM21-425
42.5"overall katana
Blade:carbon steel polished blade,4mm thickness.
Handle:plastic handle.
Guard and fittings:zinc alloy.
Scabbard:wood scabbard.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4KM100-405BK
2 4KM100-405BL
3 4KM100-405RD
4 4KM100-405WH

40.5"overall katana
Blade:carbon steel polished blade,4mm thickness.
Handle:wood handle wrapped with fake fish skin+nylon cord.
Guard and fittings:zinc alloy.
Scabbard:glossy painting wood scabbard with pattern.





5 4KM105-405

40.5"zombie katana sword
Blade:carbon steel,4mm thickness.
Handle:wood+green rope wrap.
Guard and fittings:zinc alloy.
Scabbard:wood+black painting.

6 4KM115-385BG

38.5"zombie katana sword
Blade:carbon steel,5mm thickness.
Handle:wood+green rope wrap.
Guard and fittings:zinc alloy.
Scabbard:wood+black painting.



7 4KM120-400

40"katana sword
Blade:carbon steel,4mm thickness.
Handle:wood+rope wrap.
Guard and fittings:zinc alloy.
Scabbard:wood+skull cloth.

8 4KM16-420RD
9 4KM16-420BK

42"katana sword
Blade:carbon steel,4mm thickness.
Handle:wood+painting.
Guard and fittings:zinc alloy.
Sheath:wood+painting.



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5KM34-405
2 5KM28-405BK
3 5KM28-405RD
4 5KM29-405
5 5KM30-405
6 5KM31-405
7 5KM32-405
8 5KM33-405

40.5"katana sword
Blade:carbon steel polished,7.5mm thickness.
Handle:wood+fake skin+cord.
Guard and fittings:zinc alloy.
Scabbard:wood+painting.



9 5KM34-3PCA

39.4"&30"&21.2"katana set
Blade:carbon steel,4mm thickness.
Handle:wood+painting+cord wrap.
Guard and fittings:zinc alloy.
Scabbard:wood+painting
With wood stand.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

4KM7-410
Overall Length: 40.94"
Blade Length: 26"
Blade: carbon steel blade
Handle: wood handle with fake fish leather+nylon rope
Guard: zinc alloy guard
Fitting: zinc alloy
Scabbard: black painting wood scabbard



4KM77-410BR
Overall Length: 40.94"
Blade Length: 26"
Blade: carbon steel blade
Handle: wood handle
Guard: zinc alloy guard
Fitting: zinc alloy
Scabbard: brown painting wood scabbard



4KM85-410BK
Overall Length: 40.94"
Blade Length: 26"
Blade: carbon steel blade
Handle: wood handle with fake fish leather+nylon rope
Guard: zinc alloy guard
Fitting: zinc alloy
Scabbard: black painting wood scabbard



4KM83-410BK
Overall Length: 40.94"
Blade Length: 26"
Blade: carbon steel blade
Handle: wood handle with fake fish leather+nylon rope
Guard: zinc alloy guard
Fitting: zinc alloy
Scabbard: black painting wood scabbard



4KM103-405BK
40.55" overall,26" blade.
Blade:carbon steel
Handle:wood+fake fish leather+nylon cord
Fitting:zinc alloy.
Scabbard:wood



4KM104-405BK
40.55" overall,26" blade.
Blade:carbon steel
Handle:wood+fake fish leather+nylon cord
Fitting:zinc alloy.
Scabbard:wood





Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



3WM20-A
Size:10.5"x8.5"
Material: Resin



3WM20-B
Size:10.5"x8.5"
Material: Resin

4KM74-410BK
Overall Length: 40.94"
Blade Length: 26"
Blade: carbon steel blade
Handle: wood handle with fake fish leather+nylon cord
Guard: zinc alloy guard
Fitting: zinc alloy
Scabbard: wood scabbard



4KM40-410BK
Overall Length: 40.94"Blade Length: 26"
Blade: carbon steel blade
Handle: wood handle with fake fish leather+nylon cord
Guard: zinc alloy guard
Fitting: zinc alloy
Scabbard: black painting wood scabbard



4KM1-410BK
Overall Length: 40.94"
Blade Length: 26"
Blade: carbon steel blade
Handle: wood handle with fake fish leather+nylon cord
Guard: zinc alloy guard
Fitting: zinc alloy
Scabbard: wood scabbard with chain



4KM93-420RDSL
42.13" overall,26" blade.
Blade:carbon steel
Handle:wood handle with fake fish leather+nylon cord
Fitting:zinc alloy.
Scabbard:woodwith chain



4KM73-410BK
Overall Length: 40.94"
Blade Length: 26"
Blade: carbon steel blade
Handle: wood handle with fake fish leather+nylon cord
Guard: zinc alloy guard
Fitting: zinc alloy
Scabbard: wood scabbard with black painting



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

4EM10-400
40.16" overall
Handle:wood+nylon cord
without blade



4EM17-400
40.16" overall
Handle:wood+nylon cord
without blade



4EM4-400
40.16" overall
Handle:wood+nylon cord
without blade



4EM6-400
40.16" overall
Handle:wood+nylon cord
without blade



4EM7-400
40.16" overall
Handle:wood+nylon cord
without blade



4EM8-400
40.16" overall
Handle:wood+nylon cord
without blade



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 CTWP-048

40.9"katana sword
Blade:carbon steel,4mm thickness,27" length.
Handle:wood+fake skin+cord wrap.
Guard and fittings:zinc alloy.
Scabbard:wood+painting.



SWING THE SWORD, YOU CAN HEAR THE SOUND!

2 CTWP-047

40.9"katana sword
Blade:carbon steel,4mm thickness,27" length.
Handle:wood+fake skin+cord wrap.
Guard and fittings:zinc alloy.
Scabbard:wood+painting.



3 CTWP-049

40"katana sword
Blade:carbon steel,4mm thickness,27" length.
Handle:wood+fake skin+cord wrap.
Guard and fittings:zinc alloy.
Scabbard:wood+painting.



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1

1 4KM112-3PC

39.75"/25"/18.75"katana sword set
Blade:stainless steel.
Handle:wood+black painting.
Guard and fittings:zinc alloy.
Scabbard:wood+painting.
With wood stand.

2 TL503-3PC

39.5"/31"/21.5"katana sword set
Blade:carbon steel.
Handle:wood+fake skin+cord wrap.
Guard and fittings:zinc alloy.
Scabbard:wood+painting.
With wood stand.



2





Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 5SF4-370A
2 5SF4-370B
3 5SF4-370C

37"sword
Blade:S.Steel.
Handle:zinc alloy.
Fittings:zinc alloy.
Scabbard:iron.

4 5SF5-370A
5 5SF5-370B
6 5SF5-370C

37"sword
Blade:S.Steel.
Handle:resin.
Fittings:zinc alloy.
Scabbard:iron.

7 5SF6-370

37"sword
Blade:S.Steel.
Handle:zinc alloy.
Fittings:zinc alloy.
Scabbard:iron.

8 5SF7-370
9 5SF8-370

37"sword
Blade:S.Steel.
Handle:resin.
Fittings:zinc alloy.
Scabbard:iron.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 5SM29-125A
2 5SM29-125B

12.5"sword
Blade:S.Steel,2mm thickness.
Handle material:ABS.
Guard and fittings:zinc alloy.
Sheath:ABS wrapped with PU.

3 5SM27-110
4 5SM28-120

11"/12"sword
Blade:S.Steel,2mm thickness.
Handle material:ABS.
Guard and fittings:zinc alloy.
Sheath material:ABS.

5 5SM52-215
6 5SM53-215
7 5SM54-215
8 5SM55-215

21.5"sword
Blade:S.Steel,2.8mm thickness.
Handle material:ABS.
Guard and fittings:zinc alloy.
Sheath:iron wrapped with PU.

9 5SM56-145

14.5"sword
Blade:S.Steel,2.8mm thickness.
Handle material:ABS.
Guard and fittings:zinc alloy.
Sheath material:ABS.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Email: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Email: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Email: cs3@davgear.com



1 4SF1
14.5" sword
Blade:S.Steel satin finished.
Handle:black plastic.
Guard and fittings:zinc alloy.
Sheath:black plastic.

2 TX1243-450
45" sword
Blade:S.Steel mirror finished.
Handle:ABS.
Guard and fittings:zinc alloy.
Sheath:wood+leather wrap.

5 3SM29-215SL
6 3SM29-215GD
21.5" sword
Blade:S.Steel mirror finished.
Handle:zinc alloy.
Guard and fittings:zinc aloy.
Sheath:ABS.

3 4SM18-270GD
4 4SM18-270
27" sword
Blade:S.Steel titanium coated.
Handle:PP+Rubberized.
With wood plaque.

7 3SM28-215RD
8 3SM28-215BK
21.5" sword
Blade:S.Steel mirror finished.
Handle:ABS+zinc alloy.
Guard and fittings:zinc alloy.
Sheath:ABS+zinc aloy.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

JL11199-390ST

Metal Gear Rising:Revengeance
39" handmade machete
Blade:45# Carbon steel forging satin blade,
28.3" length,5mm thickness
Blade edge:razor sharp/cut broken iron
Handle:zinc alloy handle,
4mm thickness one side



3MN1-365

36.62"overall,28" blade
Blade:carbon steel blade
Handle:zinc alloy
Fitting:zinc alloy
PU leather



3MM1-395

39.37" overall,28.35" blade
Blade:S.Steel black blade,4mm thickness
Handle:zinc alloy
Fitting:zinc alloy
PU leather



4SM17-450

Overall Length: 44.89"
Blade Length: 30.31"
Blade: carbon steel baking finished blade
Handle: wood handle with nylon rope
Guard: zinc alloy guard
Fitting: zinc alloy
Scabbard: PU leather black bag



5MN2-365BK

5MN2-365SL

Overall Length: 36.5"
Blade Length: 25.5"
Blade: carbon steel
Handle: wood+painting
Sheath: black nylon



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

4SM12-455
45.28" overall,28" blade.
Blade:carbon steel
Handle:wood
Fitting:zinc alloy.
Scabbard:wood



4SM10-460
46.06" overall,28" blade.
Blade:carbon steel
Handle:wood
Fitting:zinc alloy.
Scabbard:wood





4MN12-245
24.41" overall,20" blade
Blade:carbon steel black blade
Handle:nylon cord
PU leather



4MN11-420
42.13" overall,26" blade
Blade:carbon steel black blade
Handle:nylon cord
PU leather



4SM11-365
Overall Length: 38.61"
Blade Length: 26"
Blade: S.Steel blade
Handle: wood handle
Fitting: zinc alloy
Scabbard: wood scabbard with black planting with belt



4KM79-410RD
Overall Length: 49.21"
Blade Length: 30.08"
Blade: carbon steel blade
Handle: wood handle
Guard: zinc alloy guard
Fitting: zinc alloy
Scabbard: PU leather bag



4KM79-490BK
Overall Length: 49.21"
Blade Length: 30.06"
Blade: carbon steel blade
Handle: wood handle
Guard: zinc alloy guard
Fitting: zinc alloy
Scabbard: PU leather bag

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

4SM29-250RD

Overall length:25"
Blade length:14.76"
Blade material: carbon steel
Handle length:10.43",wrapped with red round rope
Sheath: Red PU



4SM29-250BK

Overall length:25"
Blade length:14.76"
Blade material&finish: carbon steel,with black painting
Handle length:10.43",
wrapped with black round rope
sheath: Black PU

4MN20-295BK

Overall length:29.5"
Blade length:19.7"
Overall weight:1.8kg
Blade:carbon steel black plated blade,
3pcs steel slices of mosaics,
7x4mm thickness
Handle:wood handle black painting handle
Guard:zinc alloy blue baking guard
3.4mm thickness
Sheath:black nylon sheath



4MN19-285

Overall length:28.5"
Blade length:22"
Blade:carbon steel
Handle:wrapped with light green cord
Guard:zinc alloy
Sheath:nylon sheath

4SM26-235GN

This sword was carried by Hei
from <Darker than Black>
overall length:23.62"
blade length:16.54"
Blade:carbon steel black plated
blade,4mm thickness
Handle:wrapped with
black nylon rope
Sheath:PU leather
sheath with belt



4SM22-425SL

Overall length:42.5"
Blade length:27.6"
Blade:carbon steel polished blade,
5.5mm thickness,blade is square in cross-section
Handle and guard material: alum pipe
with white PU leather sheath

4SM24-305BK

Overall length:30"
Blade length:22"
Blade:carbon steel polished blade,4mm thickness.
Handle:black baking paint and wrapped with black nylon rope
sheath: black PU sheath with belt.

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4SF19-530
53." overall,36.5" blade
Blade:S.Steel painting blade,4mm thickness
Handle:ABS
with wood stander

2 4SF20-430
43" overall,33.5" blade
Blade:S.Steel satin blade,4mm thickness
Handle:ABS+S.Steel wire
with wood stande

3 4SF18-540
54" overall,34" blade
Blade:S.Steel painting blade,4mm thickness
Handle:iron
with wood stander

4 4SF21-310
31" overall,24" blade
Blade:S.Steel satin blade,4mm thickness
Handle:ABS
PU leather

5 3SM11-455
45.5" overall,35.5" blade
Blade:S.Steel mirror blade
3.5mm thickness
Handle:ABS
with wood stander

6 3SM11-485
48.5" overall,38" blade
Blade:S.Steel mirror blade
4mm thickness
Handle:metal
with wood stander

7 3SM9-305
43" overall,30.5" blade
Blade:S.Steel mirror blade
4mm thickness
Handle:ABS
with wood stander

8 3SM5-450
45" overall,32.5" blade
Blade:S.Steel mirror blade
4.8mm thickness
Handle:ABS
with wood plaque

9 3SM6-350
Overall length:35"
Blade length:27"
Blade:2Cr13 S.Steel mirror finished,
3.5mm thickness
Handle:ABS+resin
Fitting:zinc alloy
with wood plaque

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



3SM6-165
Overall Length: 16.5"
Blade Length: 9.25"
Blade: S.Steel polished blade,2.5mm thickness.
Handle: ABS+zinc alum+resin handle
Guard: zinc alum guard
Fitting: zinc alum
Scabbard: ABS Scabbard
with black painting





3SM10-180
17.91" overall,12.40" blade
Blade:S.Steel mirror blade
3.5mm thickness
Handle:zinc alloy
with wood plaque





3SM10-250
24.8" overall,17.32" blade
Blade:S.Steel mirror blade
3.5mm thickness
Handle:zinc alloy
Scabbard:ABS+leather







4SM20-415
41.34"overall,29.92" blade
Blade:Mn steel forging blade
6.5mm thickness
Handle:wood+fake leather
Fitting:zinc alloy

3SM8-505
50.39" overall,38.39" blade
Blade:S.Steel mirror blade
4.8mm thickness
Handle:ABS+real leather
with wood plaque

3SM7-390
39.17" overall,30.12" blade
Blade:S.Steel mirror blade
4.8mm thickness
Handle:zinc alloy
with wood plaque

3SM8-385
51.77" overall,38.39" blade
Blade:S.Steel mirror blade
4.8mm thickness
Handle:ABS+real leather
Scabbard:wood+leather

3SM7-285
28.35" overall,20.27" blade
Blade:S.Steel mirror blade
3.5mm thickness
Handle:zinc alloy
Scabbard:ABS

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 QL6331-130
2 QL6331-130
13"dagger
Blade:S.Steel
Handle:resin.
Guard:S.Steel.
With resin stand.









3 QL6333-130
4 QL6333-130
5 QL6333-130
6 QL6333-130
13"dagger
Blade:S.Steel
Handle:resin.
Guard:S.Steel.
With resin stand.





Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

1 4WM83-470
47" overall wood katana
Blade:wood blade silver painting
Handle:wood handle wrapped with blue nylon cord
Guard:wood guard golden painting
Scabbard:wood scabbard black painting



2 4WM84-470
47" overall wood katana
Blade:wood blade silver painting
Handle:wood handle wrapped with black nylon cord
Guard:wood guard golden painting
Scabbard:wood scabbard black painting with pattern



3 4WM89-375
37.5" overall wood sword
Blade:wood blade black painting
Handle:wood handle wrapped with white cloth
Guard:wood guard golden painting



4 4WM90-395
39.5" overall wood sword
Blade:wood blade black+silver painting
Handle:wood handle black painting
Guard:wood guard black+silver painting
Scabbard:wood scabbard black+silver painting



5 4WM92-385
38.5" overall wood katana
Blade:wood blade silver painting
Handle:wood handle
Scabbard:wood scabbard



6 4WM100-395
39.5" overall wood katana
Blade:wood blade
Handle:wood handle wrapped with black nylon cord
Guard:wood guard black painting



7 4WM101-395
39.5" overall wood machete
Blade:wood blade silver painting
Handle:wood handle black painting



8 4WM87-395RD
39.5" overall wood katana
Blade:wood blade silver painting
Handle:wood handle wrapped with black nylon cord
Guard:wood guard black painting
Scabbard:wood scabbard red painting



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



1 3WM64-370
37" sword
Material:wood+painting



2 3WM68-395
39.5" sword
Material:wood+painting



3 3WM69-395
39.5"sword
Material:wood+painting



4 3WM65-510
51" sword
Material:wood+nylon cord



5 5WM28-260A
6 5WM28-260B
26" sword
Blade length:11"
Shield length:4"
Material:wood+painting

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com

5WM11-430
42.9"overall foam sword
Material:PU

5WM12-425
42.5"overall foam sword
Material:PU

4WM80-430

4WM80-315
43"/31.5"overall foam sword
Material:PU

5WM8-430
42.9"overall foam sword
Material:PU

5WM9-390
39"overall foam sword
Material:PU

5WM10-280
27.9"overall foam sword
Material:PU

5WM7-430
42.9"overall foam sword
Material:PU

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



5WM13-380
37.8"overall foam machete
Material:PU

5WM18-210
20.9"overall foam hammer
Material:PU

5WM29-245
24.4"overall foam hammer
Material:PU

5WM16-450
45.3"overall foam sword
Material:PU

5WM17-420
41.7"overall foam machete
Material:PU

5WM15-425
42.5"overall foam sword
Material:PU

5WM14-290
29"overall foam sword
Material:PU
Width:13.6"

Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com



Add: 1812-18FL, Huali International Plaza, 5# Zhujiang Road, Nanjing, China
Contact us: Cs1. Tel:+86-025-68037915 Emal: cs1@davgear.com
Cs2. Tel:+86-025-68037917 Emal: cs2@davgear.com
Cs3. Tel:+86-0662-2818877 Emal: cs3@davgear.com